



GEDORE
TOOLS FOR LIFE

1/2" socket spanner set
hexagon, 24 pieces

Code: 3300055
No.: R69003024

CELEBRATIONS

Valid from 01.01.2021 - 31.03.2021. Only while stocks last.

EXCLUSIVELY FOR DEALERS



Tool trolley
with 7 drawers

Code: 3106659
No.: GTT B-7





SB 1 B-08

Combination spanner set, 8 pieces

3100235

- › Practical assembly with the same key widths (10, 12, 13, 14, 16, 17, 18, 19 mm)
- › Ideal for places that are difficult to access, e.g. deep-set or recessed nuts and screws
- › Highest torques guaranteed by a reinforced power rib and a slim shaft on the jaw side



SB 7-08

Combination spanner set, 8 pieces

3100227

- › Practical combination of open-ended spanners with the same widths (10, 12, 13, 14, 16, 17, 18, 19 mm)
- › Ring side of the open-end spanner angled 15°
- › Design to DIN 3113 Form A, ISO 3318, ISO 7738



S 6-005

Double open ended spanner set, 5 pieces

3084973

- › Practical sizes of spanner widths (10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm)
- › With flat heads and non-slip shaft
- › Secure grip due to slim profile shaft



7 XL-012

Combination spanner set, 12 pieces

6095950

- › Extra long combination spanners in the spanner sizes (10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm)
- › Ideal for hard to reach places due to extra long shaft
- › With flat heads and non-slip shaft



62 P 6

Single open ended spanner, adjustable, 6"

2669072

- › The one-time key can be adjusted variably and has a 15° jaw position
- › Less friction and wear due to phosphating



Single open ended spanner, adjustable 0-30 mm

- › Open-ended spanner in various sizes (8", 10", 12") with a 15° jaw position
- › Protected mechanics and an additional striking surface allow for easy hitting without affecting the function of the key


| Code | Article No. |
|---------|--------------|
| 3100243 | SB 60 S 8 C |
| 3100251 | SB 60 S 10 C |
| 3100278 | SB 60 S 12 C |



WT 1056 7R

Roll-up bag, empty 2793849

- › Tool roll bag made of robust and durable nylon
- › With 12 pockets, ideal for narrow tools such as ring spanners or screwdrivers



SB 36 2-300-LB

Strap wrench 3100413

- › Optimum grip due to strong and non-slip fabric strap
- › With a total length of 12 cm and a belt width of 2.5 cm, ideal for round screw connections

SB 2093 U-20

Reversible ratchet 1/4" 3100294

- › For universal use in industry and automotive
- › Due to the fine serration and drop-shaped head, ideally suited for tight screw positions



Made in Germany

3550 UK

Torque wrench TORCOFLEX UK

- › Torque spanners with square drive in the range 20-100, 40-200 and 60-300 N·m, with integrated lever and reversible ratchet
- › Highest accuracy thanks to a max. deviation of +/-3
- › Classified according to DIN EN 6789:2003 Type II Class A

| Code | Article No. |
|---------|-------------|
| 2958031 | 3550-10 UK |
| 2958058 | 3550-20 UK |
| 2958066 | 3550-30 UK |





Made in Germany

8563-N-05

Torque wrench DREMOMETER DNR

Set 3/4", 155-760 N·m

3107043

- › Torque spanner with extension tube and ratchet
- › Highest accuracy thanks to a max. deviation of ± 3
- › Error-free operation due to length independence
- › Classified according to DIN EN ISO 6789-2:2017
- › The original



SB 1993 U-20

Reversible ratchet 1/2"

3100286

- › For universal use in industry and automotive
- › Gentle transmission of power to the hands due to non-slip 2-component handle with hanging hole



SB 19 SL-08

Tool holding rail, magnetic 1/2"

3100456

- › Includes: 2 inner square adapters for ratchets, sliding handles, extensions etc.
- › Secure attachment to metal objects due to strong magnet
- › Holes in the strip enable mounting on non-metallic objects and walls



2150-2160 PH-010

3C-Screwdriver set, 10 pieces

1482343

- › Practical assembly in common sizes: slotted screwdriver 3, 4, 5.5, 6.5, 8 mm, cross screwdriver (PH) 1 and 2, as well as a phase tester 3,5 mm 220 - 250 V
- › Optimum power transmission due to form-fit connection of handle and blade



S 8000 E

Set of circlip pliers, 4 pieces

2931877

- › Practical assembly in common sizes 19 - 60mm
- › For internal and external retaining rings



2675
Ratchet screwdriver SilentGEAR
1/4" bit holder
 3031918

- › Compact ratchet screwdriver, ideal for precise work in confined spaces due to slim bit holder
- › Very small back swing angle, almost 0°
- › Ergonomic working and optimal haptics through design and pleasant material mix



2169-012
Magazine handle screwdriver with
ratchet function SilentGEAR 1/4"
 3031691

- › Loaded magazine screwdriver with ratchet function
- › The integrated bit magazine holds up to 12 bits 1/4"
- › Ideal for precise work in confined spaces, due to slim bit holder
- › Very small back swing angle, almost 0°



WSL-L-TS-147
Tool trolley workster smartline with tool
assortment in CT modules, 147 pieces
 2980312

- › Compact and easy to operate tool trolley for industry, crafts and automotive, including 147-piece tool assortment
- › The range offers basic equipment for all applications (pliers, screwdrivers, open-ended spanners, hammers, etc.)
- › Dimensions: H 1045 x W 785 x D 510 mm
- › Load capacity per drawer 20 kg, total load capacity 400 kg)




WT 1056 9-003
Tool set at work, 10 pieces
 3100650

- › Practical composition of a basic assortment in a classic roll-up bag
- › Included in the set: Roller bag, universal pliers 10", Power combination pliers 180 mm, power side cutter 160 mm, 3C screwdriver slot 4 5.5 6.5 8 mm and 3C screwdriver Cross recess PH 1 2
- › Ideal for small repairs on the road or at home



GTT B-7
Tool trolley, with 7 drawers
 3106659

- › Compact and robust tool trolley
- › Easy steering and turning thanks to drive-steer handle
- › Robust and durable due to corrosion-resistant, scratch-resistant powder coating
- › Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- › Total load capacity static: 900 kg / dynamic: 650 kg
- › Dimensions: H 812 x W 771 x D 478 mm



C 2150-60 PH-06

CENTURY screwdriver set, 6 pieces

3106411

- › Practical assembly in common sizes (slotted screwdriver 5.5 / 6.5 / 8mm, cross-head screwdriver PH 1 / 2 mm and phase tester 3.5 mm for 220-250V)
- › Optimum power transmission due to form-fit connection of handle and blade
- › Precise working and pleasant feel through ergonomic 3-component handle



SB 8132-200 JC

Telephone plier, with cutting edge, serrated, straight pattern
1699105

- › Optimally suited for holding, gripping, bending and cutting work
- › Ideal power transmission due to 2-component grip sleeves
- › Optimum cutting performance through precision cutting, cutting edge hardness 61 - 63 HR



SB 8381-225 TL

Pincer
1699326

- › Extremely durable pliers due to induction-hardened precision cutting edges
- › Optimum grip due to blue dipped anti-slip grips



SB 8380-280 TL

Tower pincer
1699792

- › Rabbit or braiding pliers, ideal for the toughest applications with medium hard wire up to 1.6 mm
- › Easy access due to geometrically optimised head
- › Extremely durable due to induction-hardened precision cutting edges



SB VDE 8250-180 H

VDE Heavy duty combination pliers, with VDE insulating sleeves
1699849

- › High cutting performance with 35% less effort on all wires, even piano wire
- › High and precise performance due to high leverage and extra long cutting edges





SB VDE 8132-200 H
VDE Telephone pliers,
 with sheath insulation, straight
 1699938

- › Due to the long straight jaws optimally suited for holding, gripping, bending and cutting work
- › Safe working in areas up to 1000 V due to a VDE insulated leg, according to EN 60900/IEC 60900



SB VDE 8098-160 H
VDE Stripping pliers, with VDE insulating sleeves
 1699997

- › For stripping single and multi-stranded conductors with plastic insulation for wires from 0.8 to 6.0 mm²
- › Easy adjustment to the required wire or strand diameter by means of the set screw and lock nut



SB VDE 8314-160 H
VDE Side cutter, with VDE insulating sleeves
 1699873

- › Slim cutting head makes it ideal for working in confined spaces
- › Ideal for medium hard wire up to 1.6 mm
- › Safe working in areas up to 1000 V due to a VDE insulated leg, according to EN 60900/IEC 60900



SB 8092-160 TL
Cable shears
 3093557

- › Ideal for precise cutting of multi-core copper and aluminium cables up to Ø 10 mm
- › Not suitable for steel wire and hard drawn copper conductors



6953
Multitool GEDORE
 3100715

- › Multitool with 7 functions (pliers, adjustable spanner, 3 bits = 2x slot, 1x cross, knife and cutting function on the pliers)
- › Little helper for on the way including a belt buckle and Belt pouch directly on the tool
- › Adjustable key width up to 10mm

SB 142 10 TL
Universal pliers
 1700111

- › The 10" universal pliers are the ideal companion for the professional craftsman and ambitious do-it-yourselfers thanks to their 15-fold adjustability, box joint and anti-pinch protection
- › Easy to use thanks to the push-button single-handed adjustment
- › Offset gripping surfaces, self-clamping on nuts and tubes
- › Ideal for hard-to-reach areas due to narrow pliers head
- › According to DIN ISO 8976 Form C





S 600 H-05

Hammer set, + Multitool, 5 pieces

3100405

- › Optimum all-round combination of hammers incl. multitool
- › 2 engineer's hammers with 300 and 500g hammer head incl. Rotband Plus System and double-curved hickory handle DIN 5111
- › Plastic mallet No. 224 E-32 and rubber mallet No. 226 E-2 with ash handle
- › Multitool with 7 functions (pliers, adjustable spanner, 3 bits = 2x slot, 1x cross, knife and cutting function on the pliers)


SB 407
Hacksaw
 3107477

- › Versatile and robust metal hacksaw with adjustment facility
- › Practical, tool-free clamping function of the saw blade
- › Captive dowel pins fix the saw blade



SB 106 D

Tools set in metal case with lid, 6 pieces

3107531

- › Flat chisel 8-edge 125 mm 97-125, flat chisel 8-edge 150 mm 97-150, Cross chisel 8-edge 125 mm 98-125, punch 8-edge 120 mm 99 12-3, centre punch 120x10x4 mm 100-10, pin punch 4 mm
- › For universal use in metal or automotive applications


500 ST
Engineers' hammer
 8606620

- › Forged hammer head, 500g and 300g
- › Extremely durable due to almost unbreakable tubular steel handle with plastic grip

| Code | Article No. |
|---------|-------------|
| 8606620 | 500 ST-300 |
| 8606890 | 500 ST-500 |



0047-08

Pocket knife

9100820

- › Ideal for the heaviest jobs due to the extra wide blade
- › The pocket knife is foldable, weatherproof and due to its extreme sharpness perfectly suitable for universal use



500 F

Engineers' hammer

8598180

- › Forged hammer head, 200g, 1000, 1500g, 2000g
- › Ideal for working at high temperatures thanks to the fibreglass handle
- › Very robust due to additionally hardened steel handle protection sleeve, with head protection

| Code | Article No. |
|---------|-------------|
| 8598180 | 500 F-200 |
| 8599770 | 500 F-1000 |
| 8598850 | 500 F-1500 |
| 8598930 | 500 F-2000 |



R95700023

Work lamp

3300002

- › Practical helpers in the everyday life of ambitious do-it-yourselfers and professionals
- › Very flexible due to 180° swivelling magnetic base, adjustable in 6 steps
- › With control LED battery capacity display in 5 levels
- › 3.7 v Li-ion battery, 1200 mAh and integrated on/off button on the back
Press 1x = head LED Press 2x = front COB LED



R20152006

Workshop trolley MECHANIC,6 drawers, black, matt
3300012

- › Compact and easy to operate workshop trolley
- › Load capacity 25 kg per drawer, Max. max. load 210 kg
- › High load capacity due to solid sheet steel construction



R49005037

Tool set T-handle with ratchet 1/4", 37 pieces

3300025

- › The high-quality 2-component handle enables a hand friendly power transmission in two working positions
- › The T-handle has a hexagon socket for direct bit insertion



R49003016

Socket set 1/4", 16 pieces

3300050

- › Practical assembly with 1/4" ratchet for manually operated screwdrivers in the 1/4" range
- › Bit adapter 1/4", with hexagon socket and square socket, suitable for all bits and tools with 1/4" external hexagon



R07205005

Combination ratchet spanner set,

reversible, 5 pieces

3300872

- › Ideal combination of ratchet spanners (spanner size: 8, 10, 13, 17, 19 mm) with 72 teeth
- › Ratchet head 15° angled and 5° back swing angle
- › Mouth position 15

R69003024

Socket set 1/2", 24 pieces hexagon

3300055

- › Practical assembly for manually operated screwdriving in the 1/2" range in clear arrangement, also suitable for cars thanks to long nuts
- › Ratchet: square drive with ball locking device and square drive with ball catch groove according to DIN 3120 - A 12.5, ISO 1174, as well as 2-component handle for fatigue-free working
- › Cross handle with slide 1/2", design according to DIN 3122, ISO 3315
- › Sturdy case for space-saving storage and transport



MERCHANDISE



GMH9900005
Kitchen knife GEDORE
 2981548



GMH9900007
Bottle-Opener 2K GEDORE
 2979322



GMH9900008
Barbecue Tongs GEDORE
 2981890



GMH9900012
Ice scraper GEDORE
 2981882



GMH990018
Stainless steel vacuum flask
3114805



GMH990021
Sports towel
3114872



GM0990017
Ball pen Set LAMY GEDORE
3099377



GM0990040
Coffee mug GEDORE blue
3109348



GM0990042
Tin-plate sign GEDORE Retro 100th
3109224



GM0990043
Lunch box metall GEDORE Retro 100th
109232

Gedore Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149
42899 Remscheid, GERMANY
Postfach 120361, 42873 Remscheid
Tel. + 49 (0) 21 91- 596 - 0
Fax + 49 (0) 21 91- 596 - 230
info@gedore.com

Vertrieb DEUTSCHLAND
T + 49 (0) 21 91 - 596 - 900
F + 49 (0) 21 91 - 596 - 999

Sales INTERNATIONAL
T + 49 (0) 21 91 - 596 - 910
F + 49 (0) 21 91 - 596 - 911

GEDORE Automotive GmbH

Breslauer Straße 41
78166 Donaueschingen · GERMANY
Tel. +49 771 83223-0
Fax +49 771 83223-90

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz · GERMANY
T +49 7042 9441-0
F +49 7042 9441-41
info@loesomat.de

GEDORE AUSTRIA GmbH

Gedore-Str. 1
8190 Birkfeld / Stmk. · AUSTRIA
Tel. +43 (0) 3174 / 363 64 00
Fax +43 (0) 3174 / 363 83 20
sales.austria@gedore.com
www.gedore.at

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial
de Jündiz
01015 Vitoria Alava · SPAIN
Tel. +34-945-29 22 62
Fax +34-945-29 21 99
gedore@gedore.es
www.gedore.es

GEDORE UK Limited

Marton Street, SKIPTON BD23 1TF
North Yorkshire · UNITED KINGDOM
Tel. +44 (0) 1756 / 70 67 00
Fax +44 (0) 1756 / 79 80 83
sales@gedoreuk.com
www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La
Mare II
10, avenue du Fief - Bât. 12
BP 79144 Saint-Ouen-l'Aumône
F-95074 Cergy Pontoise Cedex · FRANCE
Tél. +33 (0)1 34 40 16 60
Fax +33 (0)1 34 40 16 61
jadore@gedore.fr
www.gedore.fr

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV
Alphen aan den Rijn · NETHERLANDS
Tel. +31 (0) 172 / 42 73 50
Fax +31 (0) 172 / 42 73 60
technag@gedore.nl
www.gedore.nl

GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a
43-190 Mikołów · POLAND
Tel. +48 (0) 32 / 738-40 10
Fax +48 (0) 32 / 738-40 20
gedore@gedore.pl
www.gedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275 Bairro
Vicentina | Vicentina
São Leopoldo - RS | 93025-340 · BRAZIL
Tel. +55 51-35 89 9200
Fax + 55 51-35 89 9222
export@gedore.com.br
www.gedore.com.br

GEDORE TOOLS, INC.

7187 Bryhawke Circle, Suite 700
NORTH CHARLESTON,
SC 29418 · USA
Tel. +1-843/225 50 15
Fax +1-843/225 50 20
info@gedoretools.com
www.gedoretools.com

**GEDORE Tool Trading (Shanghai)
Co., Ltd.**

1/F., Block 2, 1358 Pingan Road,
Minhang, Shanghai · CHINA 201109
Tel. +86-21-3388 7258
Fax +86-21-3388 7259
Service Hotline: 400 880 1858
info@gedore.cn
www.gedore.cn

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone)
Road,
New Germany, 3610 - South Africa
PO Box 68, New Germany, 3620
SOUTH AFRICA
Tel. +27 (0) 31 / 705 3587
Fax +27 (0) 31 / 705 32770
general@gedoresa.co.za
www.gedore.co.za

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar
Gurgaon – 122051
Haryana · INDIA
Tel. +91 (0) 124 22910 – 65/66/67
Fax +91 124 2341067
sales@gedoreindia.com
www.gedore.in

GEDORE TOOL CENTER OOO

4.-ya Magistralnaja H11/1
123007 Moscow · RUSSIA
Tel. 8 800 100 58 96 (free from Russia)
Tel. +7 (499) 754 7000
Fax +7 (8) 985 22 99 88 0
sales@gedoretools.ru

CELEBRATIONS TOOL PROMOTION valid
from 01.01.2021 to 31.03.2021.
Only while stocks last.

Brands of the GEDORE Group
gedore.com • ochsenkopf.com

*All prices are UK prices per unit/rate, plus VAT.
Delivery without decoration. Subject to technical changes.
All information and prices are subject to typographical and printing errors.
Prices without legal VAT are only valid for resellers and
professional consumers. Please ask your regional specialist dealer