EN | 5055

GEDORE

10-1-1-1-0





C 40-200 N·m

HIGHLIGHTS 2022



GEDOREY



CONTENTS

្ត	SPANNERS	05 - 08
9	SOCKETS AND ACCESSORIES	09 - 28
	TORQUE TOOLS	29 - 41
า <mark>ที่เ</mark>	SCREWDRIVERS	42 - 44
	WORKSHOP EQUIPMENT	45 - 61
	TOOL ASSORTMENTS	62 - 64
0 = • I T :	MODULE	65 - 75
:	MOBILE TOOL STORAGE	76 - 79
ញ់	PULLERS	80 - 87
	HAMMERS / STRIKING TOOLS	88 - 91
AAA	PLIERS	92 – 99
	VDE INSULATED SAFETY TOOLS	100 - 109
	WORKSHOP SUPPLIES	110 – 116
())e	INSTALLATION TOOLS	117 - 118
R	BENDING SYSTEMS	118

2005-TS-308 TOOL TROLLEY WITH TOOL ASSORTMENT 52

No.2005

N

TF-K TORQUE WRENCH TORCOFIX TF-K 30

THE PRACTICAL SET FOR THROUGH BOLTS



Bolt connections with the same width across flats, through bolts with hexagon head and nut, countering and counter-holding - this is where the 7RA 183 ratchet wrench set from GEDORE with pliers wrench and the lowheight tools really come into their own.

At the heart of the set are the 5 ring ratchet spanners in width across flats 8/10/13/17/19. equipped with the Unit Drive profile. The uniform transmission of force via the wave-shaped profile ensures an even distribution of pressure under the highest loads and also prevents the screw from turning round. The 183 7 TC pliers wrench is the optimum counterpart for counter-holding and countering up to SW 42. The interplay of the sliding mechanism, which works practically without play, and the smooth jaws enables safe gripping, holding and pressing with enormously high pressing force and simultaneous protection of the material to be gripped. The set is rounded off by two adapters (1/2" - 19 mm and 1/4"-10 mm), which turn the ring ratchet wrenches into a ratchet with low installation height.









- > Ring ratchet wrench set with low body height and small swingback angle of 5 7
- > Flat pliers wrench with SW 0 42 or 1.5/8" including jaws for surface-friendly gripping included in the set
- > With adapter (1/4", 1/2") for the use of sockets on the ring ratchet wrench
- Optimal extension to the socket set 19 DMU-20 (3014347)
- > Housed in plastic box with Checktool insert

1/2"	12.5	[1/ <u>/</u> ″]	6.3	
	<u>12,0</u>	<u></u>	0,0	

								Constant Constant of	
Code	No.	Contents	Length mm	Width mm	Height mm	Depth mm	Pieces	Weight kg	
3416356	7 RA 183	7 R Open-end spanner with ring ratchet 8 10 13 17 19 mm 7 RA-12,5 Adapter 1/2" 19 mm 7 RA-6,3 Adapter 1/4" 10 mm, 183 7 TC Pliers spanner incl. jaws WK 19DM/IN19 L Box empty, El-7 RA 183 Foam insert empty	360	190	70	51	10	1,7	

1

WRENCHES AND PLIERS IN ONE TOOL

 With its backlash-free system and sliding mechanism, the GEDORE pliers wrench offers virtually infinite wrench width adjustment 0 - 42 mm.

 EVERYTHING SAFELY STOWED AWAY
 The foam insert keeps every tool securely in place and immediately indicates a loss.

TOP MATERIAL

• Made of chrome vanadium steel 31CrV3 for high wear resistance and long life.



3

THE UD PROFILE

 The wave shape of the profile provides a secure hold, even with screws whose dimensions lie outside the tolerance range. Uniform pressure distribution allows maximum use of force and protects the screw head.



OPTIMAL POWER TRANSMISSION



"This set is great for working with a variety of machine screws and hex threaded bolts!"

7 R-012 COMBINATION RATCHET SPANNER SET

12 pieces

- Practical combination of open-end wrenches with ring ratchet with the same width across flats
- > For ratcheting loosening and fast tightening of bolts and nuts
- > High torque transmission enables efficient, ratcheting work
- > Wrench box made of sheet metal with plastic insert





Code	No.	Contents
2297442	7 R-012	7 R 8 9 10 11 12 13 14 15 16 17 18 19

 Length mm
 Pieces
 Weight kg

 320
 12
 2,84

7 R-005 COMBINATION RATCHET SPANNER SET

5 pieces

- > Practical combination of open-end wrenches with
- ring ratchet with the same width across flats > For ratcheting loosening and fast tightening
- of bolts and nuts > High torque transmission enables efficient,
- ratcheting workPlastic spanner box with foam insert



Code	No.	Contents	Length mm	Pieces	Weight kg
2297434	7 R-005	7 R 8 10 13 17 19	275	5	0,932

1 B COMBINATION SPANNER SET metric

- > Acc. to DIN 3113, Form B, ISO 3318, ISO 7738
- > The offset ring ensures a better grip on deep-seated or inset nuts or bolts
- > Ring cranked and angled 10°, with UD profile for gentle power transmission
- > Slim ribbed open end for added strength guarantees maximum torques



Code	No.	Contents	Pieces	Weight kg	excl. VAT
6011950	1 B-080	8 9 10 11 13 14 17 19	8	1	62,90
6012170	1 B-012	10 11 12 13 14 17 19 22 24 27 30 32 mm	12	3,39	159,00

<section-header><text></text></section-header>	<section-header><list-item><list-item><list-item><list-item><list-item></list-item></list-item></list-item></list-item></list-item></section-header>
Code No. Contents 6093740 7-026 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32	Pieces Weight kg 26 4,665
<section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header>	<list-item><list-item><list-item><list-item></list-item></list-item></list-item></list-item>
6095950 7 XL-012 10 11 12 13 14 17 19 22 24 27 30 32 mm	12 4,41
6-8 DOUBLE OPEN ENDED SPANNER SET B pieces	 Practical composition With different wrench sizes With flat heads

VANADIUM

(20)

GEDOREI

(22)

No F

07

Pieces

8





Code	No.	Contents	Pieces	Weight kg
1527312	25 PK-012	8 9 10 11 12 13 14 15 16 17 18 19	12	2,578

 \square

666-042 TORSIONS **BIT SET** 42 pieces





- > Torsionszone to protect bits under load. Peak torques are gently cushioned, which increases the lifetime
- > Includes an extremely slender selfsecuring magnetic bit holder with quick-release function
- > For soft and hard bolting tasks
- > Suitable for use in Impact sockets



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3100316	666-042	1/4" bits, 25mm: 1/4" slot 5.5, 6.5, 1/4" cross recess PH 1 2 2 3 1/4" cross recess PZ 1 2 2 3 1/4" TXT10T15T20T25T30T40, 1/4" bits, 50mm 1/4": hexagonal 3 4 5 mm 1/4" cross recess PH 1 2 2 3, 1/4" cross recess PZ 1 2 2 3, 1/4" TXT10T15T20T25T30 1/4" bits, 88.9mm: 1/4" slot 5.5 mm, 1/4" cross recess PH 2, 1/4" Cross recess PZ 2, 1/4" TXT25 Drive adapter 1/4" hex x 1/4" hex, I. 50mm, Drive adapter 1/4" hex x 3/8" hex, I. 50mm Socket, magnetic, with 1/4" hex drive SW 8mm, L.67mm Socket, magnetic, with 1/4" hex drive SW 10mm, L.67mm Bit holder 1/4" One-touch Slim Lock, L.66,5mm	190	120	45	42	0,67

666-006 > Socket wrench inserts with magnet for **BIT BOX SOCKET** damage-free insertion and removal of hexagon head screws MACHINE MOUNT > Especially suitable for self-drilling screws > Box made of plastic with a transparent lid 6 pieces for quick checking of completeness at the end of work 13 10 3/8 €27,50 1/4 6,3 0 mm 0 "AF Code No. Contents Length mm Width mm Height mm Weight kg Pieces 2993244 666-006 Socket wrench machine mount 1/4" 7 8 10 12 13 mm and 3/8" 107 143 42 6 0.24 666-032-J > Tailored for use in modern industrial plants, but also offers the most common **BIT-BOX** bits for the do-it-yourselfer **INDUSTRY** > Bit holder with quick clamping system, magnet and machine mount 32 pieces > Bit box made of plastic with a transparent 04 •2 •2 •2 •3 lid for quick checking of completeness at 2 the end of work . €**17,⁵⁰** 🚯 🕷 🌦 6.3 1/4 + + + • •

Code	No.
2993228	666-032-J

Contents	
PH 1 (1x) PH 2 (3x) PH 3 (1x)	, TX T10 (2x) T15 (2x) T20 (2x), T25 (3x) T27 (1x) T30 (3x)
T40 (2x), 3 (1x) 4 (2x) 5 (2x)	6 (2x), XZN M4 (1x) M5 (1x) M6 (1x) M8 (1x), Adaptor 1/4

gth mm	Width mm	Height mm
	70	36

Len

100

Adaptor 1/4"-1/4"

Pieces	Weight kg
32	0,26

THE SMALL SET FOR THE REALLY BIG APPEARANCE

With the bit socket set with ratchet ¹/₄" TC 666-MU-20, GEDORE shows, what is possible with the size of ¹/₄" - small nuts for manual operation and machine use!

Handy, practical and powerful - on the roadand in the workshop, this bit socket spannerset is a very valuable helper. The particularlythin-walled sockets made from burnished vanadiummade of burnished vanadium steel are suitable for manualmanual operation and mechanical use, e.g. on powerpower wrenches, for example. The heartof this set is the 1¼" lever-action reversible ratchet 2093U-20 with a swing-back angle of 9°. Housed in thesturdy textile bag with Velcro fastener and carrying handle, thisthis set is an indispensable companion.



1

POWERFUL REVERSIBLE RATCHET

• The ¼" lever reversing ratchet 2093 U-20 impresses with its robust ratchet is characterised by its robust mechanics, which large torques can be transmitted.

2

PRACTICAL STORAGE

• The lightweight textile box with Velcro closure allows quick access. The foam insert ensures safe storage as well as comfortable transport.

3

POWERFUL SOCKETS

 Particularly thin-walled sockets made of burnished vanadium vanadium steel suitable for power wrenches!



"The socket set with the specially designed sockets is a light, practical companion, for which there is room everywhere."

TC 666-MU-20 BIT BOX WITH RATCHET 1/4" IN TEXTILE CASE

35 pieces

€89,90



> Especially thin-walled 1/4" sockets

- > Suitable for machine and manual operation
- > Robust textile bag with strong velcro
- fastener and carrying handle > Tools always at hand in water- and dirt-
- resistant pockets when on the move
 Tools stored in a non-slip location
- GEDORE Check-Tool-System

Code	No.	Contents
3085015	TC 666- MU-20	1/4" power 1/4" screwe 1/4" screwe

1/4" power screwdriver bit SW 4.5 5 5.5 6 7 8 9 10 11 12 13 mm, 1/4" screwdriver bit 6ct, SW 4 5 6 8 mm 1/4" screwdriver bit TX, T10 T15 T20 T25 T27 T30 T40, 1/4" screwdriver bit Phillips PH1 PH2 PH3 1/4" screwdriver bit cross recess PZ1 PZ2 PZ3, 1/4" screwdriver bit slot, 4.5 5.5 6.5 mm Cardan extension 1/4" 50 mm, Bit-Adapter 1/4" 4ct - 1/4" 6ct Adapter 1/4" 6kt male - 1/4" 4kt male

Length	Width	Height	Pieces	Weight
mm	mm	mm		kg
110	180	55	35	0,593

TC 19-20-MU-10 SOCKET SET 1/4"-1/2" IN TEXTILE BAG

52 pieces





- > Tools in metric sizes
- > With robust lever-change reversible ratchet, with push-button release
- Robust textile bag with strong velcro fastener and carrying handle
- > GEDORE CT-System, foam module compatible with GEDORE tool trolley
- > Tools always at hand in water- and dirtresistant pockets when on the move

	1/2"	1⁄4″	1/4
\ominus		۲	

Code	No.	Contents
3085031	TC 19-20-	Ratchet 1993 U-10 T, 2093 U-3 T
	MU-10	Inserts C19 10 12 13 15 16 17 18 19 22 24 27 30 32, D 20 4 5 6 7 8 9 10 11 12 13 680 4 5,5 6,5, 685 3 4 5 6
		685 X 5 6 8, 687 TX T10 T15 T20 T25 T27 T30 T40, 690 1 2, 690 PZD 1 2 3
		Accessories, Cardan extension 1/2" No. 1990 KR-10, 2090-4, 620, multi handle 676, 699

Length mmPiecesWeight kg120523,3

TC 19-MU-10 SOCKET SET 1/2" IN TEXTILE CASE metric, 16 pieces





- > Tools in metric sizes
- > With robust lever-change reversible ratchet, with push-button release
- Robust textile bag with strong velcro fastener and carrying handle
- GEDORE CT-System, textile case compatible with GEDORE modular system 1500 CT
- Foam module compatible with GEDORE tool trolley

Code	No.	Contents
3085023	TC 19-	Ratchet 1993 U-10 T
	MU-10	Missions C19 10 12 13 15 16 17 18 19 22 24 27 30 32
		Accessories Extension 1990 KR-5, Extension 1990-10

Length mm	Width mm	Height mm	Pieces	Weight kg
185	335	65	16	2,85

1/2"

INNOVATIVE PROFILE PROTECTS SCREW HEADS

GEDORE 1/2" sockets with C-profile are the intelligent solution for hand-operated screwdriving applications with hexagon head screws in the metric and imperial range.

The profile of the socket is characterised by its uniform shaft contour. This means that the force acts on the flanks of the screw head and not on the screw corners, resulting in a more even distribution of force. Screw heads are protected by the larger contact surface and force transmission is also improved. In addition, GEDORE sockets with C-profile can also be used on damaged screw heads and on screws outside the tolerance range. Made from chrome vanadium steel, chrome-plated and polished, the C-profile sockets are wear-resistant and durable and designed for use in crafts and industry.







- > Hand-operated sockets for metric and imperial screw connections
- > Chrome-plated and polished
- > In accordance with DIN 3124

1/2"

Code	No.	Length mm	inch	Weight kg	excl. VAT
3103889	C19 10	38	3/8"	0,05	4,90
3103897	C19 12	38		0,05	<i>4,90</i>
3103900	C19 13	38	1/2"	0,05	<i>4,90</i>
3103919	C19 15	40	19/32"	0,06	5,50
3103927	C19 16	40	5/8"	0,06	5,50
3103935	C19 17	40		0,07	5,50
3103943	C19 18	40	11/16"	0,06	5,50
3103951	C19 19	40	3/4"	0,07	5,50
3103978	C19 22	41,5		0,09	<i>5,90</i>
3103986	C19 24	41,5	15/16"	0,12	6,50
3103994	C19 27	41,5	1.1/16"	0,14	8,50
3104001	C19 30	43	1.3/16"	0,17	<i>9,</i> 30
3104028	C19 32	43	1.1/4"	0,18	9,30

TOP MATERIAL

• Made of chrome vanadium steel, chrome-plated and polished.

J071076

GENTLE HANDLING OF THE SCREWS

• Better power transmission due to a larger contact surface.

3


 WIDE RANGE OF APPLICATION
 The C-profile is also suitable for damaged screw heads and screws outside the tolerance range.

THERE THE SCREW HEAD REMAINS INTACT



"The C-profile sockets from GEDORE impress with noticeably improved power transmission and the screw head is subjected to noticeably less stress."

SCREW HEAD-FRIENDLY C-PROFILE



TECHNIQUE

The profile of the socket is characterised by its even shaft contour. This means that the force acting on the drive of the screw head and not on the screw corners results in a more even distribution of force. Also applicable to screws outside the tolerance range.

No damage to the screw head i.e. no deformation of the edges due to the application of force.

Greater force transmission due to a larger contact surface.

Also suitable for damaged screw heads.



D 20 DMU-3 SOCKET SET 1/4" 14 pieces





- > With manually operated 12-point UD profile sockets and operating tools made of vanadium steel 31CrV3
- > With fine toothed, dial change ratchet
- > In plastic case





Code	No.	Contents	Length mm	Width mm	Height mm	Depth mm	Pieces	Weight kg
1815598	D 20 DMU-3	Ratchet	140	107	47	95	14	0,429
		2093 U-3						
		Inserts						
		D 20 4 4,5 5 5,5 6						
		7 8 9 10 11 12 13						
		Accessories						

D 20 KMU-20 SOCKET SET 1/4" 37 pieces

1/4" extension 2090-4

- > With forged, tempered bi-hexagon UD profile sockets, hand-operated
- > With actuation tools
- With robust lever-change reversible ratchet, with push-button release
- > In plastic case







Code	No.	Contents	Length mm	Width mm	Height mm	Depth mm	Pieces	Weight kg
1822373	D 20 KMU-20	Ratchet	202	119	38	38	37	0,712
		2093 U-20						
		Inserts						
		D 20 4 5 6 7 8						
		9 10 11 12 13						
		680 4 5,5 6,5						
		685 3 4 5 6						
		685 X 5 6 8						
		687 TX T10 T15 T20						
		T25 T27 T30 T40						
		690 1 2						
		690 PZD 1 2 3						
		Accessories						
		1/4" extension 2090-4						
		620						
		1/4" multi handle 676						
		699						

ITX 20 TX-015 SCREWDRIVER SET 1/4" 15 pieces

 With hand-operated screwdriver bit sockets in GEDORE vanadium special steel
 In plastic case





6,3 1⁄4″

Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
1815628	ITX 20 TX-015	Screwdriver bit socket 1/4" for recessed TX screws No. ITX 20 T8 T9 T10 T15 T20 T25 T27 T30 T40 Socket wrench insert 1/4" for external TX screws No. TX 20 E4 E5 E6 E7 E8 E10	160	95	38	15	0,307

30 G / D 30 G **SOCKET SET 3/8"** 17 pieces

- > With forged, tempered hexagon (no. 30) or bi-hexagon (no. D 30) UD profile sockets, hand-operated
- > With actuation tools
- > Set U-3 with fine toothed, dial change ratchet
- > Set U-10 with reversible lever change ratchet
- > In GEDORE blue sheet steel case





Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg	excl. VAT
6235980	30 GMU-3	Reversible ratchet 3/8" No. 3093 U-3 Socket 3/8" hexagonal UD profile No. 30 6 7 8 9 10 11 13 14 15 16 17 19 Cross handle 3/8" No. 3087 Extension 3/8" No. 3090-5 -10	320	210	55	17	2,6	175,00
6239380	D 30 GMU-10	Reversible ratchet 3/8" No. 3093 U-10 Socket 3/8" 12-edge UD profile No. D 30 6 7 8 9 10 11 13 14 15 16 17 19 Cross handle 3/8" No. 3087 Extension 3/8" No. 3090-5 -10, Universal joint 3/8" No. 3095	320	210	55	17	2,7	195,00

<section-header><text>

00



Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
6229740	30 IMU-10	reversible ratchet 3/8" No. 3093 U-10 200 mm Cross handle 3/8" No. 3087 Extension 3/8" No. 3090-5 125 mm Extension 3/8" No. 3090-10 250 mm Cardan joint 3/8" No. 3095 51 mm Socket wrench insert 3/8" No. 30 hexagon 6 7 8 9 10 11 12 13 14 15 16 17 19 mm Screwdriver bit socket 3/8" No. IS 30 slot 5.5x1 8x1.2 mm Screwdriver bit socket 3/8" No. IN 30 hexagon socket 4 5 6 mm Screwdriver bit socket 3/8" No. IKS 30 Phillips PH 2 3	320	55	210	26	3,1

ITX 30 PM SCREWDRIVER BIT SOCKET SET 3/8" 7 pieces

> for recessed TX head screws> In plastic case



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
1509926	ITX 30 PM	ITX 30 T20 T25 T27 T30 T40 T45 T50	200	120	38	7	0,627



19 V20U-20 SOCKET SET 1/4"+1/2" inch, 81 pieces

- > With manually operated sockets
- > With actuation tools
- > With robust lever-change reversible ratchet, with push-button release
- > In GEDORE blue sheet steel case



Code	No.	Contents	Length mm	Width mm	Height mm	Depth mm	Pieces	Weight kg
1550691	19 V20 U-20	Ratchet 1/2" 1993 U-20,1/4" 2093 U-20 Inserts 1/2", 19 10 11 12 13 14, 15 16 17 18 19 21 22, 24 27 30 32 36 1/4" Unit-Drive D 20 4 5 5,5 6 7, 8 9 10 11 12 13, 680 4 4,5 5,5 6,5 685 2 2,5 3 4 5 6 8, 685 X 5 6 8, 687 TX T10 T15 T20, T25 T27 T30 T40 690 1 2 3, 690 PZD 1 2 3, 885 3 4 5 6 8 10, 885 X 5 6 8 10 12, 887 TX T27 T30, T40 T45 T50 Accessories 1/2" extension 1990-5-10, 1/4" extension 2090-4 1/4" square plug-in handle 676, 1/4" universal joint 2095, 620, 699, KB 819	425	280	57	55	81	6,3

OPTIMALLY POSITIONED FOR HEXAGONAL BOLTS AND SCREWS

The GEDORE socket set 19 DMU 183 with pliers wrench and fine-toothed 1/2" ratchet is a sophisticated tool set designed for tightening applications involving machine screws and through bolts.

Variable screwing and holding options thanks to the infinitely adjustable pliers wrench on one side and the ratchet with extensive nut set with UD profile on the other. The even transmission of force via the wave-shaped UD profile ensures an even distribution of pressure under the highest loads and equally prevents the screw from turning round. This tool set is a valuable aid, especially where screw connections with the same width across flats have to be machined, and is housed in the practical plastic case with Checktool insert.





1

WRENCH AND PLIERS IN ONE TOOL

 With its backlash-free system and sliding mechanism, the GEDORE pliers wrench offers virtually infinite wrench width adjustment up to 42 mm.



TOP QUALITY

 The fine-toothed 1/2" lever-action ratchet from GEDORE is designed for continuous use under maximum stress.

3

• Practical foam insert for the safe storage of

tools and the direct indication of a loss.



"The GEDORE Set 19 DMU 183 is optimally equipped for machine screws. Thanks to the UD profile, the sockets are gentle on the screw heads, even with high power transmission."



- > 1/2" ratchet set with cardan extension and pliers wrench size 7 (0-42mm / 0-1.5/8")
- Proven 1993 U-20 ratchet and inserts with hexagonal UD profile (10-32 mm)
- > Flexible use up to SW 42 mm with pliers wrench
- > incl. protective jaws for pliers wrench for surface-friendly gripping
- > Checktool insert in compact plastic case with viewing window

[¹/₂″ 12,5

Code	No.	Contents	Length mm	Width mm	Height mm	Depth mm	Pieces	Weight kg
3416321	19 DMU 183	1993 U-20 reversible ratchet 1/2" 19 Socket 10 12 13 15 16 17 18 19 22 24 27 30 32 1990 KR-5 Cardan extension 1/2" 183 7 TC Pliers wrench incl. jaws WK 19DM/IN19 L Box empty EI-19 DMU 183 Foam insert empty	360	190	70	51	18	3,1

19 BMC 20 SOCKET SET 1/4"+1/2" 69 pieces

0

0

0

Ô

00000000000000

0

0.

GEDO

€169,00

- The GEDORE plastic ratchet box is suitable for industry, automotive as well as DIY & hobby screwdrivers.
- > It is equipped with a black/blue foam check tool insert that makes the absence of the tools more visible
- > The droplet-like head of the reversible ratchets make this set ideal for the tightest of bolting positions
- > 1/4" and 1/2" socket wrench hexagon set with all metric sizes from 4-32 mm and bit set for the most popular drives, such as slot, PH, PZ, TX XZN & in-hex
- > The reversible ratchets feature a dual material handle, lever change and press-button release for easy, rapid and safe working
- > Depending on the wrench size, the sockets can be extended up to 375 mm in the drive depth



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3108902	19 BMC 20	Ratchets 1/4" + 1/2 Reversible ratchets 1/4" 2093 U-20, reversible ratchets 1/2" 1993 U-20, Socket wrench inserts 1/4" + 1/2 Hexagonal inserts 1/4" SW 4 4,5 5,5 6 7 8 9 10 11 12 13 14 mm Hexagonal inserts 1/2" SW 15 16 17 18 19 21 22 24 27 30 32 mm Hexagonal inserts long 1/2" SW 10 13 17 19 mm Bits 1/4, Hexagon socket 2 3 4 5 6 8 mm, TX;with bore T10 T15 T20 T25 T27 T30 T40 Slot 4 5.5 6.5 8 mm, Cross recess PH 1 2 3, Cross recess PZ 1 2 3, Multi-tooth XZN M4 M5 M6 M8 Accessories 1/4" + 1/2, Extension 1/4" 50 100 mm, Adaptor 1/4" x 1/4", Bit-Holder 1/4". T-handle 1/4", Cardan joint 1/4, Extension 1/2" 125 250 mm, Cardan joint 1/2, T-Handle 1/2"	460	355	86	69	5,7

19 EM SOC 23 piec	KET S	ET 1/2"				€	UD p > With > Set I char with > In Gl case	hand-operate rofile sockets actuation tool I-20 with robus ge reversible ra push-button ra DORE blue she	s st lever- atchet, elease et steel
Code 2545837	No. 19 EMU-20	Contents Reversible ratchet 1/2" No. 1993 Socket 1/2" hexagonal UD profile 15 16 17 18 19 21 22 24 27 30 32 Cross handle 1/2" No. 1987 Extension 1/2" No. 1990-5 -10 Cardan joint 1/2" No. 1995	No. 19891011121314	ength im 25	Width mm 280	Height mm 57	Depth mm 277	Pieces 23	Weight kg 5,7
	/MU-10 KET S I	ET 1/2"					UD-p	hand-operate profile sockets	

SOCKET SET 1/2" 28 pieces

> With actuation tools > With robust lever-change reversible ratchet, with pushbutton release > In GEDORE blue sheet steel case 0000 0000 $\odot \odot$ €309,00 0,0,0 0 0 0 12,5 1/2" O mm Contents Length Width Height Depth Weight kg Pieces mm mm mm mm D 19 VMU-10 Reversible ratchet 1/2" No.1993 U-10 T 277 425 55 277 6,7 28 Socket 1/2" 12-sided UD-profile No. D 19 10 11 12 13 14

Code

2682877

No.

15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 33 34 36

Extension 1/2" No. 1990-5 -10, Cardan joint 1/2" No. 1995

Cross handle 1/2" No. 1987

D 19 WAU-20 SOCKET SET 1/2" 31 pieces

- > With hand-operated 12-corner UD-profile sockets
- > With actuation tools
- > With robust lever-change reversible ratchet, with push-button release
- > In GEDORE blue sheet steel



Code	No.	Contents	Length mm	Width mm	Height mm	Depth mm	Pieces	Weight kg
2546027	D 19 WAU-20	Reversible ratchet 1/2" No. 1993 U-20 Socket set 1/2" 12-edge UD profile No. D 19 5/16 11/32 3/8 13/32 7/16 1/2 9/16 9/32 5/8 11/16 3/4 25/32 13/16 7/8 5/16 1" 1.1/16 1.1/8 1.3/16 1.1/4" Offset screwdriver set long in holder 8 pcs AF No. H 42 EL-88 A Extension 1/2" No. 1990-5 -10 Universal joint 1/2" No. 1995	425	280	57	277	31	5,9

IN 19 PM SCREWDRIVER BIT SOCKET SET 1/2" 9 pieces

- > for in-hex screws
- > In GEDORE blue sheet steel case





Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
(15(350	IN 10 DM	C (0.0 10 12 14 17		70	25	0	1 2 4 2
6156250	IN 19 PM	5 6 8 9 10 12 14 17	281	/9	35	9	1,362

> for in-hex screws> In GEDORE blue sheet steel case

IN 19 PA SCREWDRIVER BIT SOCKET SET 1/2" 9 pieces





Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
6156410	IN 19 PA	IN 19 3/16 7/32 1/4 9/32 5/16 3/8 1/2 9/16 5/8"	281	79	35	9	1,328

ITX 19 TX-017 SCREWDRIVER BIT SOCKET SET 1/2" 17 pieces

> For protruding and recessed

TX screws

> In GEDORE blue sheet steel case



K 1900-018 SCREW REMOVER SET 18 pieces



- Complete with the most frequently used bits, for use on screws and bolts with slotted, cross-head or hexagon heads
- Hammer-operated screw loosener for loosening stuck screws, adjustable for right and left-hand operation
 In plastic case





Code	No.	Contents	Length mm	Width mm	Height mm	Depth mm	Pieces	Weight kg
6654600	K 1900-018	Screwdriver bit 5/16" slotted No. 880 5.5 6.5 8 12 Screwdriver bit 5/16" hexagon socket No. 885 4 5 6 8 10 Screwdriver bit 5/16" cross recess PH No. 890 2 3 4 Screwdriver bit 5/16" internal TX No. 887 TX T27 T30 T40 T45 Connector screwdriver bits 5/16" No. KB 819 Screwdriver 1/2" No. K 1900	202	123	39	38	18	1,249

D 32 FMU-2 SOCKET SET 3/4" metric, 16 pieces

> For loosening and tightening screws and nuts with large wrench sizes

Depth

mm 80 Pieces

16

> With accessories made from vanadium steel 31CrV3

> Set U-2 with fine toothed, dial change ratchet

> Durable, long-life GEDORE blue sheet steel case



Code	No.	Contents	Length mm	Width mm
6281230	D 32 FMU-2	Reversible ratchet 3/4" No.3293 U-2 Socket insert 3/4" 12-edge UD profile No. D 32 22 24 27 30 32 36 38 41 46 50 55 60 Cross handle 3/4" No. 3287 Extension 3/4" No. 3290-8 -16	555	230

Weight kg

15,2





3/4" 5 pieces 9 9

6,3 1/4" 10 3/8" 12,5 1/2" 20 3/4"

DIN 3123, ISO 3316

Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
1729071	S 2032-05	Convertor 2030 1/4" - 3/8" (max. 62 Nm) Convertor 3019 3/8" - 1/2" (max. 202 Nm) Convertor 1932 1/2" - 3/4" (max. 512 Nm) Reducer 3020 3/8" - 1/4" (max. 62 Nm) Reducer 1930 1/2" - 3/8" (max. 202 Nm)	134	51	51	5	0,34

2093 REV		LE RATCHET	1/4"			 Particularly suitable for robu and commercial vehicles Acc. to DIN 3122, ISO 3315 Return angle 15° For hand-operated sockets a square drive as per DIN 3120 ball locking device 	nd accessories with
		GEDORE			E	39 90, .vx	6,3 1/4
Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Ratchet head height mm	Weight kg
6180470	2093 U-10	1/4"	6,3	15 °	130	21,5	0,109
3093 REV		LE RATCHET		Ę۷	19 <mark>90</mark> , +vat	 Particularly suitable for robu and commercial vehicles Acc. to DIN 3122, ISO 3315 with push-button release Return angle 11.25° For hand-operated sockets a square drive as per DIN 3120 ball locking device 	nd accessories with - C 10, ISO 1174,
Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Ratchet head height mm	Weight kg
6236950	3093 U-10	3/8"	10	11 °	200	30,2	0,254
REV	U-10 L ERSIBI pattern	LE RATCHET		€69,90		 Acc. to DIN 3122, ISO 3315 with push-button release Return angle 7.5° For hand-operated sockets a square drive as per DIN 3120 ball locking device 	
6	De	2	CEDORE	7			
						12,5	1/21

Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Number of teeth	Weight kg
6154550	1993 U-10 L	1/2"	12,5	7,5 °	350	48	0,62

GREAT LEVERAGE BROUGHT FLEXIBLY TO THE POINT

With its length of 615 mm, the GEDORE articulated lever-operated ratchet $\frac{1}{2}$ " 1993 GU-10 XL is a real powerhouse that can show off its strengths particularly in the commercial vehicle sector.

The ratchet's head, which can be swivelled through 180°, has a ratchet lock that can be activated via the middle position of the lever. Adjustment and alignment work can be carried out comfortably and precisely in this setting. The combination of lever length (615 mm) and the maximum power transmission of 600 Nm make the ratchet with ½" socket and push-button release an indispensable tool for workshops, especially in the commercial vehicle sector. Made of vanadium steel 31CrV3, matt chrome-plated, the

articulated lever ratchet is designed for continuous use in the commercial sector and meets the high demands in workshops and industry. The ergonomic 2-component handle supports the pleasant handling.

1993EU-10X

GEDOREL

SOLID RATCHET HEAD

• The ratchet head with helmet changeover and ratchet lock in lever middle position can transmit a max. torque of 600 Nm.



FLEXIBLE USE

• The ratchet head can be swivelled by 180°, making it suitable for screws that are difficult to access.

3

EXTRALONG VERSION

 With a length of 615 mm, the articulated lever change ratchet can transmit large leverage forces and is thus especially designed for the commercial vehicle sector.

• The non-slip, ergonomic 2-component handle is provided with a hanging hole.



"The 1/2" 1993 GU-10 XL articulated lever ratchet is useful in the workshop, especially when loosening wheel bolts or hardto-reach stuck screws."



1993 GU-10 XL SWIVEL HEAD REVERSIBLE RATCHET 1/2"

- Extra long design
 180° pivotable
 with push-button release
 Return angle 7.5°
 For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device







Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Weight kg
		liidi			11111	
2018934	1993 GU-10 XL	1/2"	12,5	7,5 °	615	1,16

1993 TU-10 TELESCOPIC REVERSIBLE RATCHET 1/2"

- Long lever arm for high torques, max. torque 600 N-m
- > with push-button release
- > Return angle 7.5°
- > For hand-operated sockets and accessories with square drive as per DIN 3120 - C 12.5, ISO 1174, ball locking device



Code	No.	Square drive inch	Square drive mm	variable length	Return angle	Number of teeth	Weight kg
3041859	1993 TU-10	1/2"	12,5	400-600	7,5 °	48	1,31



Code	No.	Spanner size	Length mm	Head height mm	Width of head mm	Weight kg	excl. VAT
1648934	29 17X19	17x19	315	49	42,0	0,463	29,90
1382853	29 19X22	19X22	315	49,5	42,0	0,448	39,90
1648926	29 19X24	19x24	365	56	51,5	0,757	39,90
6262790	29 24X30	24x30	402	63	61,0	1,378	79,50

CONTROLLED AND PRECISE

3550-UK-LS4 TORQUE WRENCH TORCOFLEX UK SET 1/2" 5 pieces




GEDORE

- > Tried-and-tested torque wrench in the 40-200 N·m tightening range with test certificate
- Controlled clockwise tightening; bi-directional reversible ratchet; 1/2" output drive
- Classified as per DIN EN ISO 6789-2:2017; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%
- > Highly suited for car tyre changing given its 1/2" extension and impact sockets with protective sleeve in the 17, 19 and 21 mm sizes





±3%



PRECISE IN SHAPE AND TORQUE

The GEDORE TORCOFIX is a torque wrench that allows the user almost intuitive operation.

The Torcofix TF-K torque wrench from GEDORE is ideally suited for repair and maintenance work. The ergonomic handle shape centres the hand in the middle of the handle, which is the optimum position for applying force. Thanks to the fixing recesses on the scale frame, there is optimum counter-holding when adjusting the torgue. The scale has been optimised by colouring and central positioning of the scale components, which serves to improve the readability and setting of the torque values. With a release accuracy of /- 3% tolerance from

the set scale value, the Torcofix exceeds the DIN EN IS 6789-2:2017 requirements of /- 4%. Due to the durable 1-component handle, the trigger signal can be felt very well. For work in confined spaces, the new Torcofix is also available as an SE variant.

from

€**149**00

GEDORE



CONTROLLED

• Controlled and precise screw tightening from 20-850 N-m

C 40-200 N/m

- Deviation of /-3 % and thus more precise than the /-4 % required by the standard
- Including test certificate according to DIN EN ISO 6789-2:2017

IMPROVED READABILITY

• The optimised double scale, the colouring as well as the central alignment of the main scale and vernier ensure better readability of the setting values

EASILY READABLE

• Scaling and labeling placed protected under viewing window

EASIER TORQUE ADJUSTMENT

• Thanks to the fixing recesses on the scale frame, there is optimum counter-holding during torque adjustment

INTUITIVE, ERGONOMIC APPLICATION

- The ergonomic handle shape centers the hand in the middle of the handle.



"Prescribed tightening torques for almost all screw connections - from stem, to brakes, to drive - can be precisely adhered to with the Torcofix. For the highest bolting quality."

TF-K TORQUE WRENCH TORCOFIX TF-K

20-850 N·m / 15-630 lbf·ft



Use:

> Controlled screw tightening in the most common range of 20 - 850 N·m / 15 - 630 lbf·ft

- > Adjustable, releasing and sturdy tubular torque wrench with integrated ratchet and with
 - square drive for industry and the trades

Features:

- > Classified as per DIN EN ISO 6789-2:2017 Type II Class A; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%
- > incl. traceable test certificate (DIN EN ISO 6789-2:2017)
- > For controlled bi-directional tightening
- > $1/2^{"}$ mushroom head square with ball lock. From $3/4^{"}$ with square socket and pin retention
- > Robust, matt powder-coated tubular steel construction, with galvanized ratchet and high-quality plastic parts
- > New ergonomic handle, shaped according to the natural grip position of the hand
- > clearly recognisable and tactile hand centring aid and calibration aid in the middle of the handle
- > Double scale N-m / lbf-ft and vernier are protected from abrasion and contamination by an enlarged viewing window
- > With vernier scale for N-m main scale for setting intermediate scale values; Ibf-ft setting only via main scale
- > Vertical alignment of the scale, torque adjustment therefore suitable for left and right handers
- > Scale line positioned directly above the scale prevents reading errors (parallax errors)
- > Unit inscription integrated in the scale frame and also protected against abrasion via viewing window,
- > Precise mechanism generates a clearly perceptible and audible trigger signal when the set torque value is reached
- > incl. roll away protection, prevents rolling away when the tool is put down

Code	No.	Drive square inch	Drive square metric	N∙m	Scale division	vernier Nm	Length mm	Weight kg	excl. VAT
3278379	TF-K100	1/2"	12,5	20-100	5 N∙m	0,5 N∙m	313,3	0,97	149,00
3278387	TF-K200	1/2"	12,5	40-200	10 N·m	1 N·m	404,3	1,18	159,00
3278395	TF-K300	1/2"	12,5	60-300	10 N·m	1 N⋅m	495,3	1,37	195,00
3278409	TF-K400	3/4"	20	80-400	10 N·m	1 N⋅m	593,3	1,93	325,00
3278492	TF-K550	3/4"	20	110-550	10 N·m	1 N⋅m	863,8	3,6	519,00
3278514	TF-K850	3/4"	20	250-850	10 N·m	1 N·m	1285,8	4,8	649,00

TF-Z TORQUE WRENCH TORCOFIX Z

5-850 N·m / 3,7-630 lbf·ft



Use:

- > Controlled screw tightening in the most common range of 20 850 N·m / 15 630 lbf·ft
- > Adjustable, releasing and sturdy tubular torque wrench with spigot end for industry and the trades

Features:

- Classified as per DIN EN ISO 6789-2:2017 Type II Class A; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%
- > incl. traceable test certificate (DIN EN ISO 6789-2:2017)
- > For controlled right- and left-hand tightening (change tool for changing direction)
- > Trunnion mounting in the versions Ø 16 mm and Ø 22 mm
- > Factory depth gauge: 32 mm (Ø 16 mm) or 56 mm (Ø 22 mm)
- Robust, matt powder-coated tubular steel construction, with galvanized ratchet and high-quality plastic parts



Code No.	Ø	N∙m	lbf·ft	Scale division	vernier Nm	Length mm	Weight kg	excl. VAT
3278573 TF-Z1	00 16	20-100	15-75	5 N⋅m	0,5 N∙m	310,3	0,76	119,90
3278581 TF-Z2	00 16	40-200	30-150	10 N⋅m	1 N∙m	401,3	0,92	135,00
3278603 TF-Z3	00 16	60-300	45-220	10 N⋅m	1 N∙m	492,3	1,15	159,00
3278611 TF-Z4	00 16	80-400	60-300	10 N·m	1 N·m	582,3	1,55	229,00
3278638 TF-Z5	50 22	110-550	80-405	10 N·m	1 N·m	848,8	2,94	415,00
3278654 TF-Z8	50 22	250-850	185-630	10 N∙m	1 N⋅m	1276,8	4,39	615,00



The large cross-section of the spigot end transfers a maximum torque. "Quick-change system" with a locking pin mechanism guarantees that work takes place flexibly and rapidly.



Ideal for bolted connections in cramped and hard-toaccess locations. Depending on how the TORCOFIX Z is used, it is possible to work both in the forward direction and also to the side. For anti-clockwise tightening, simply turn the torque wrench through 180°

4549 TORQUE WRENCH TORCOFIX K 1-50 N·m / 0,75-37 lbf·ft

TORCOFIX Z

Technical Information Z



- \blacktriangleright Controlled screw tightening in the most common range of 1-50 N·m / 0,75 37 lbf-ft
- Classified as per DIN EN ISO 6789-2:2017 Type II Class A Type II Class A; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4% (4549-00 +/- 6%)
- > incl. traceable test certificate
- > For controlled bi-directional tightening
- > 1/4", 3/8" mushroom head square with ball lock.
- > Dual scale N·m and lbf·ft below a window with a magnifying-glass effect
- > With micrometre scale for main N·m scale for setting interim values
- > Release system triggers a tactile and audible signal
- > Ergonomic system for torque adjustment



Code	No.	Drive square inch	Drive square metric	N∙m	lbf·ft	Scale division	vernier Nm	Length mm	Weight kg	excl. VAT
2201429	4549-00	1/4"	6,3	1-5	0,75-3,5	25 N⋅m	0,025 N⋅m	146	0,432	139,00
1545132	4549-02	1/4"	6,3	5-25	3,7-18	1 N·m	0,1 N∙m	206,5	0,68	139,00
1545140	4549-05	3/8"	10	10-50	7,5-37	25 N·m	0,25 N∙m	256,5	0,55	139,00

4400 - 4405 TORQUE WRENCH TORCOFIX Z

5 - 50 N·m / 3,7 - 37 lbf·ft



- > Controlled screw tightening in the most common range of 5 50 N·m / 3,7 37 lbf·ft
- Classified according to DIN EN ISO 6789-2:2017 Type I Class A, incl. traceable test certificate, calibrated to a maximum permissible deviation of +/- 3 % and thus more precise than the +/- 4 % required by the standard
- > For controlled bi-directional tightening
- > Dual scale N·m and lbf·ft below a window with a magnifying-glass effect
- > With micrometre scale for main N-m scale for setting interim values
- > Release system triggers a tactile and audible signal
- > Ergonomic system for torque adjustment
- > Operation only with end fittings with standardised depth gauges, otherwise inaccuracies can arise





Code	No.	Ø	N∙m	lbf·ft	Scale division	vernier Nm	Length mm	Weight kg	excl. VAT
1646168	4400-02	16	5-25	3,7-18	1 N·m	0,1 N∙m	210,5	0,3	109,90
1646176	4405-05	16	10-50	7,5-37	25 N∙m	0,25 N∙m	260,5	0,39	109,90



> For solving difficult pipe fittings (hydraulic lines, brake lines, etc.) in conjunction with a torque wrench

> Ratchet in 3/8" or 1/2

16 mm

> Pin mounting diameter

> Pin mounting diameter 16 mm

from €29,90

Code	No.	Drive mount, trunnion Ø	Width across flats mm	Stitch gauge mm	Weight kg	excl. VAT
7710230	8791-13	16	13	32,0	0,106	29,90
7710740	8791-17	16	17	32,0	0,141	29,90
7710820	8791-19	16	19	32,0	0,157	29,90
7711040	8791-22	16	22	32,0	0,212	31,90
7711120	8791-24	16	24	32,0	0,216	31,90

8754 **SLIP-ON RATCHET 16 Z**

8791

metric

from €67,50 9

Code	No.	Drive square inch	Drive square metric	Drive mount, Trunnion-Ø	Stitch gauge mm	Continuous load	Weight kg	excl. VAT
7711980	8754-01	3/8"	10	16	32,0	3/8" = 135 N⋅m	0,17	67,50
7712010	8754-02	1/2"	12,5	16	32,0	1/2" = 340 N⋅m	0,27	68,90

8794-03 RATCHET 22 Z

> For solving difficult assembly problems > Pin mounting diameter 22 mm



Code	No.	Drive square inch	Drive square metric	Drive mount, Trunnion-Ø	Stitch gauge mm	Continuous load	Weight kg
1427318	8794-03	3/4"	20	22	56,0	3/4" = 850 N⋅m	0,95

8563-N-05 > Torque wrench in the 155-760 N·m €759,... tightening range with test certificate; **TOROUE WRENCH** with extension tube **DREMOMETER DNR SET 3/4"** > Controlled clockwise tightening; 3/4" output drive; plus clockwise 155-760 N·m rotating 3/4" add-on ratchet > Error-free operation due to length independence 0 > Classified as per DIN EN ISO 6789-2:2017; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%> Vernier scale - resolution 1.0 N·m Height Code Square drive Contents N∙m Housing - square Length Weight No. Туре Square drive inch metric mm centre spacing mm mm kg mm 3107043 8563-N-05 3/4" 40 DREMOMETER DN 3/4" with vernier 155-760Nm 155-35 22.5 812 3,005 Single No. 8563-N-00 square 760 Extension tube DR/DX ALU No. 8571-80 Ratchet head No. 754-04 8581-01 > Torque wrench with 1" square drive in the range of 600 - 1500 N⋅m **TORQUE WRENCH WITH** > Single and double square for controlled DREMOMETER EK right and left tightening

- > Audible and perceptible, automatic short-path triggering
- > Single scale for measuring range in N-m
- > Highest accuracy max. deviation of /- 3 %
- > Error-free operation no value shift when actuated outside the handle
- > Certificate according to DIN EN ISO 6789:2017 Part 2
- > Energy-saving due to the use of an extension tube



Code	No.	Туре	Square drive inch	Square drive metric mm	Contents	N∙m	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg
2311267	8581-01	Single square	1"	25	Extension tube 8564-92	600-1500	71	30	932	60,0	40	10,8

€**1399**,...

754-06 RATCHET HEAD DREMOMETER



- Enables controlled torque tightening in combination with a DREMOMETER torque wrench
- > With 1" square drive
- Made of chrome-vanadium steel
- Max. Continuous load capacity of connecting square according to DIN EN ISO 6789-2017 or max. load of the receptacle

Code	No.	Drive mount, Square inch	Drive square inch	Head height mm	Head Ø mm	Return angle	Use	Version/ Execution	Continuous Ioad	Weight kg
7680810	754-06	1"	1"	62	73	10	E / EK	Clockwise	$1'' = 2000 \text{ N} \cdot \text{m}$	1,8



8612-300 **ELECTRONIC TORQUE TESTER DREMOTEST E**

9-320 N·m / 7 lbf·ift - 236 lbf·ft

- > For checking or adjusting right-hand torque wrenches and torque screwdrivers, ideal for checking fixed torque wrenches on the line
- > High measurement accuracy: +/- 1% tolerance of reading, +/- 1 digit
- > Peak value detection
- (first peak / crack detection) > Can be switched from N·m to lbf·ft



Code	No.	N·m	lbf·ft	Drive connector hexagon female (metric)	Resolution	Adaptor	Weight kg
1856111	8612-300	9 N·m - 320 N·m	7 lbf·ft - 236 lbf·ft	17,0	1,0	3/8", 1/2"	3 kg

8200-01 **TORQUE ANGLE INDICATOR**

> Torque-angle tightening

- > Separate rotation angle measuring device with 1/2" square drive
- > For additional precise angle tightening (0-360°)
- > 1/2" square with ball lock or 3/4" square with pin lock
- > To operate with a suitable torque wrench



Code	No.	Drive square	Drive mount	Head Ø	Scale ring	Weight kg
		inch	inch	mm		
1195980	8200-01	1/2"	1/2"	80	0-360°	0,33

RELIABLE ACCURACY

DVI-28 TORQUE MULTIPLIER DREMOPLUS ALU 2800 N·m / 2050 lbf·ft

Especially suitable for:

- Industry, construction sites, commercial vehicle and car workshops, agricultural technology, construction machinery
- > Bridge, ship, aircraft and railway construction, refineries
- > Output square with hole for Impact sockets with locking pin and ring



Code	No.	Output torque (max.) N•m	Output torque (max.) lbf·ft	Multiplication ratio	Version reaction arm	Output square (inch)	Weight kg	excl. VAT
2653257	DVI-28L	2800	2050	1:5,5	L-Form, straight	1"	2,4	1795,00
2653273	DVI-28Z	2800	2050	1:5,5	Z-Form, cranked	1"	2,4	1495,00

PRECISION TO PERFECTION

The GEDORE TSN SLIPPER TSN 25 D torque wrench is the torque wrench for maximum accuracy, as required in series or assembly line assembly.

The finely adjustable TSN Slipper with ¼" socket is the professional choice for specified controlled screw tightening from 5 - 25 Nm. The torque can be set at the factory or by the user with a tester. The achievement of the torque is clearly noticeable and audible signaled. Overtightening is not possible with this torque wrench. Due to the technology and the fixed setting of the torque, this torque wrench is optimally suited for series production. Designed for extreme

continuous use, it impresses not only with its impeccable workmanship, but also with the highest accuracy and a handling that supports this use over a long period of time. This is achieved, among other things, by the light but stable and corrosion-resistant construction.



TSN TORQUE WRENCH TSN SLIPPER 5-25 N·m / 44-221 lbf·in / Fixed setting

1



> Pre-set production torque wrench - without scale

- > 1/4" and 3/8" square drive with ball lock
- > For controlled directional tightening
- > Over tightening of the screw is not possible
- > Acc. to DIN EN ISO 6789, traceable to national standards
- Precision mechanism slides through clearly noticeable and audible (CLICK) when the set value is reached overtightening is not possible
- Automatic resetting to the starting position
 Lightweight, but robust and corrosion-resistant construction design



Code	No.	Туре	Square drive inch	Square drive metric mm	N·m	Length mm	Weight kg	excl. VAT
7091900	TSN 25 D	Single square ratchet	1/4"	6,3	5-25	216	0,34	339,00
7092040	TSN 25 A	Single square ratchet	3/8"	10	5-25	216	0,34	349,00



ABSOLUTE ACCURACY WITHOUT OVERTIGHTENING

 The unique slipping technology prevents overtightening of the screw joint and thus ensures safety in the screwdriving process.



EPA COMPLIANT

 Ideal for safe assembly and maintenance of electronic components as this tool is EPA compliant. Designed for use in electrostatic sensitive areas.



IMPROVED PRODUCTION EFFICIENCY

• The fixed torque setting prevents adjustment errors and ensures a speedy workflow.

4

LONG SERVICE LIFE

• High-quality design and robust construction guarantee a long service life.



"The TSN SLIPPER TSN 25 D enables durable work with precision at the very highest level."


OVERWINDING

IMPOSSIBLE!




FUNCTIONAL PRINCIPLE

When the fixed value is reached, the mechanism slips over the ball (without the possibility of overdrawing). The torque wrench is then immediately ready for use again.



TECHNIQUE

All torque wrenches are adjusted in value via a patented slipping/ cam-over mechanism in conjunction with an appropriate testing device.



QS 6 FH BLUE DORQUE SCREWDRIVER I-6 N·m	6589	 Adjustable torque screwdrivislipping/cam -over technologies 1/4" hexagon socket for 1/4 With adaptor also suitable for sockets as per DIN 3124 Over tightening of the screw Acc. to DIN EN ISO 6789, trace Test certificate acc. to DIN EN Precision radial ball clutch ar controlled bi-directional tightening 	ogy ' bits - C 6.3 or 1/4" square drive ' is not possible eable to national standards I ISO 6789 nd cam design for
Code No. Output piece inch 7718130 QS 6 FH BLUE 1/4"	N∙m 1-6	Total length mm 184	Weight kg 0,335
PRO 450 FH DARQUE SCREWDRIVER D.5 - 4.5 N·m / fixed setting	E67,90 DOREFOO	 Fixed torque screwdriver for 1/4" hexagon socket for 1/4 With adaptor also suitable for sockets as per DIN 3124 Over tightening of the screw. Test certificate according to permissible deviation of /- 6 Precision mechanism slides and audible (CLICK) when the overtightening is not possib Automatic resetting to the set. Fatigue-free work due to erg. Lightweight, but robust and construction design 	" bits - C 6.3 or 1/4" square drive is not possible DIN EN ISO 6789, %. through clearly noticeable es et value is reached - le tarting position jonomic handle
Code No. Drive mounting inch 2927772 PR0 450 FH 1/4"	Drive mount metric mm 6,3 mm	N∙m Total length 0,5-4,5 140	mm Weight kg 0,23
QSN DORQUE SCREWDRIVER DOR-9 N·m	from	 > Adjustable torque screwdriv slipping/ cam - over technole > 1/4" hexagon socket for 1/4 > With adaptor also suitable for sockets as per DIN 3124 > Over tightening of the screw > Test certificate acc. to DIN EN > Lightweight, but robust and construction design > Test certificate acc. to DIN EN > Models No. QSN600 FH QSN9 cross handle 	ogy " bits - C 6.3 or 1/4" square drive ris not possible I ISO 6789 corrosion-resistant
Cada Na Drive mount Drive	mount Output nicco	N m Total longth We	inht ka ovel VAT

Code	No.	Drive mount inch	Drive mount metric mm	Output piece inch	N∙m	Total length mm	Weight kg	excl. VAT
1498738	QSN 40 FH	1/4"	6,3 mm	1/4"	0,08-0,4	159	0,124	329,00
1400150	QSN 120 FH	1/4"	6,3 mm	1/4"	0,2-1,2	183	0,23	289,00
1400169	QSN 600 FH	1/4"	6,3 mm	1/4"	1-6	196	0,335	299,00
1400177	QSN 900 FH	1/4"	6,3 mm	1/4"	4-9	196	0,335	299,00

TORQUE SERVICE

CALIBRATE. ADJUST AND CERTIFY REGULARLY. WHY IS THIS SO IMPORTANT?

Only in this way can we permanently guarantee the precision and reliability of our torque tools. This is a major concern for us, because your safety is close to our hearts. Because we offer you the safety you need for everyday "controlled screw tightening".

In accordance with DKD-R 3-7:2018; DKD-R 3-8:2018; DIN EN ISO 6789-2:2017, we recommend either a service life of 12 months or the completion of 5 000 load cycles as the default value for the calibration interval, which begins with the first use of the torque wrench.

TORQUE CALIBRATION AT GEDORE

GEDORE has a certified, accredited DAkkS calibration laboratory for the measurand torque with the registration number: D-K-21245-01-00 Accredited procedures: DKD-R 3-7:2018; DKD-R 3-8:2018; DIN EN ISO 6789-2:2017 and offers you the option of factory calibration and repair of your torque wrench including a test certificate or a DAkkS calibration. The calibration is performed on suitable measuring equipment that complies with the standard DIN EN ISO 6789-2:2017.

YOUR ADVANTAGE:

ENSURE **FUNCTIONAL** CAPABILITY

PREVENTION **OF FAULTY SCREW** CONNECTIONS

REDUCTION OF FOLLOW-UP COSTS

DAKKS CALIBRATION CERTIFICATE -INTERNATIONAL RECOGNITION

The DAkkS calibration certificate documents the calibration result, the DAkkS calibration mark on the calibration object identifies the DAkkS laboratory that performed the calibration. It is recognised in many countries as official proof of traceability on the basis of multilateral agreements.

In the DAkkS calibration certificate, the measurement uncertainties of the calibration equipment used are taken into account in addition to the usual calibration certificate contents. The documented calibration result includes both the measurement uncertainty of the calibration object and the measurement uncertainty of the calibration device. Therefore, the DAkkS calibration offers highest security for the controlled screw tightening.

i.

A CALIBRATION IS ALWAYS A SNAPSHOT!

During calibration, measurement deviations and measurement uncertainties are recorded on a specific date and documented accordingly in a calibration certificate. On the basis of compliance during the last calibration. However, no statement can be made about future behaviour.

	in / Calibration Certificat Kalibrierlaboratorium	
issued by the calibra		Rac-MRA ((DAkkS
		Akkneditierungsstelle D-8:21245-01-00
Standort TorqueTe Rathausstraße 22	abrik GmbH & Co.KG ch Deutsch Kalbrierdi	
42659 Solingen	DK	•
		Kalibrierzeichen Calibration mark 2020-11
Gegenstand	mech. Drehmomentschlüssel	Dieser Kalibrierschein dokumentiert die Rück- führung auf nationale Normale zur Darstellung der Einheiten in Übereinstimmung mit dem
lersteller Manufacturer	GEDORE	Internationalen Einheitensystem (SI). Die DAkkS ist Unterzeichner der multilateralen Übereinkommen der European co-operation for
yp ype	TorcoFix-K 4550-10	Accreditation (EA) und der International Labora- tory Accreditation Cooperation (ILAC) zur ge- genseitigen Anerkennung der Kalibrierscheine.
abrikat/Serien-Nr. erial number	B152739	Für die Einhaltung einer angemessenen Frist zur Wiederholung der Kalibrierung ist der Benutzer verantwortlich.
luftraggeber	Gedore Werkzeugfabrik GmbH & Co.KG	This calibration certificate documents the traceability to national standards, which realize the units of measurement according to the
ustomer	Rathausstraße 22 D-42659 Solingen	International System of Units (SI). The DAkkS is signatory to the multilateral agreements of the European co-operation for
Auftragsnummer Order No.	ABC12569	Accreditation (EA) and of the International Laboratory Accreditation Cooperation (ILAC) for the
Anzahl der Seiten des lumber of pages of the ce		mutual recognition of calibration certificates. The user is obliged to have the object recalibrated at appropriate intervals.
Datum der Kalibrieru	ng 03.11.2020	
bedürfen der Genehmig Freigabe Verantwortlich This calibration certific	ung des ausstellenden Kalibrierlabora en in Klarschrift auch ohne Unterschri ate may not be reproduced other th	weiterverbreitet werden. Auszüge oder Änderungen toriums: Kalibrierscheine sind bei Nennung des für die fr gütig an in full except with the permission of the issuing proval responsible person are valid without signature.
Datum		Kalibrierscheins durch
Date	Approval of the	certificate of calibration by

POWERFUL SIX-PACK

All common screwdriver sizes and profiles in a professional set from GEDORE.

This 2150-2160 PH-06 screwdriver set belongs in every toolbox. Four slotted screwdrivers and two PH cross-slotted screwdrivers provide the basis for any screwdriving work. Equipped with ergonomic Power Grip 3-component handles, these tools are also extremely comfortable to use. The positive connection between handle and blade ensures optimum power transmission. The blade made of tempered molybdenum-vanadium steel scores with precise workmanship and high durability.

€19<mark>90</mark>

EDORE

4

PROFESSIONAL BLADE

• The molybdenum-vanadium steel blade is designed for tough continuous use.

INTELLIGENT COMPILATION

• Included in the set are the blades for the

- most common screw profiles.
- 3

FITS SECURELY IN THE HAND

 The ergonomic Power Grip 3-component handle lies comfortably in the hand and gives excellent power transmission.

INSTANTLY LOCATABLE • The drive shape marking at the end of the

 The drive shape marking at the end of the handle means that the desired drive can be found quickly.

FITS SECURELY IN THE HAND

"The set composition is optimal for an initial equipment. The screwdrivers are excellent in the hand and have a very good blade."

2150-2160 PH > Practical set composition in **3C-SCREWDRIVER**SET environmentally-friendly cardboard box > For slotted and cross-head screws PH > Ergonomic 3-component Power-Grip³ handle for maximum power transmission with minimum strain on the hand > With hanging hole on the handle for space-saving storage > Type of drive marked at end of the handle (\blacksquare) Code No. Weight kg excl. VAT Contents Pieces 1482319 2150-2160 PH-06 3C screwdriver bit socket slotted no. 2150, 4 5.5 6.5 8 mm 6 0,66 19,90 3C screwdriver cross-slotted No. 2160 PH, 1 2 1482343 2150-2160 PH-010 3C-Screwdriver bit socket slotted No. 2150 5.5 6.5 8 10 0,825 32,90 3C-Screwdriver Cross-recess No. 2160 PH 1 2, Phase tester 3,5 2163 TX-010 > All-rounder for working in wood, plastic and metal for internal TX screws **3C-SCREWDRIVER SET**

10 pieces

Code

1482335

No.

2142 T-008

KEY SET

8 pieces

2163 TX-010

HEXAGON ALLEN



- > Type of drive marked at end of the handle
- > Ergonomic handle shape for precise, fatigue-free work
- > Positive connection of handle and blade for optimum power transmission
- > High-quality and durable thanks to hardened and tempered blades made from GEDORE Molybdenum-Vanadium-Plus steel

Pieces	Weight kg
10	0,74

- > 2-component wing handle for high torque when loosening or tightening screws
- > Extended wing provides optimum contact surface for the ball of the hand





Contents

2163 TX T 7 8 9 10 15 20 25 30 27 40







	110.	contents	rieces	weighti
1	2142 TX-007	2142 TX T10 T15 T20 T25 T27 T30 T40	7	0,

3

GEDORE

Made in Germany

FEDO T40

T30

T25

T20

H 42 CKEL-09 HEXAGON SOCKET KEY SET

colour coded, 9 pieces

€29,90

H 43 TX-09

KEY SET

HEXAGON SOCKET

for recessed TX head screws

€38,90

(int

(CE)

(USI

- > For loosening and tightening hexagon socket screws > Ball head enables screwing in
- places that are difficult to access > Colour coding simplifies the
- assignment of the correct key width
- > Key easily removable
- > Abrasion-resistant powder-coated



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3297470	H 42 CKEL-09	42 CKEL 1,5 2 2,5 3 4 5 6 8 10	120	85	20	9	0,415

> In blue plastic holder (LPDE) > chrome vanadium steel 50CrV4, burnished

Code	No.	Contents	Pieces	Weight kg
1531417	H 43 TX-09	43 TX T7 T8 T9 T10 T15 T20 T25 T30 T40	9	0,12

Т9

T15

WSL-L7 TOOL TROLLEY WORKSTER SMARTLINE

with 7 drawers



Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Crosswise divider	Lengthwise divider	Weight kg
2977311	WSL-L7	RAL 5017	1.045	505	870	5x Type 1, H = 80 mm 2x Type 2, H = 162,5 mm	400	7	optionally available	optionally available	85

WSL-L-TS-147 TOOL TROLLEY WORKSTER **SMARTLINE WITH TOOL** ASSORTMENT IN CT MODULES 147 pieces

GEDORE

> Perfect tool combination in check tool modules for industry, trade and the automotive sector

> Work platform with PP plastic cover with front flattening and roll protection edge, as well as small additional storage

compartments

- > GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > Non-slip, with recessed grip
- > Resistant to oils and greases
- > Tools in metric sizes
- > In tool trolley No. WSL-L7

Detailed listing of the range contents from page 62 onwards



2980312	WSL-L-1

Code

TS-147

1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pcs. Combination spanner set in CT module no. TS CT2-7, 24 pcs. Tool assortment in CT module no. TS CT2-2154SK-119, 14 pcs. Pliers range in CT module no. TS CT2-142, 28 pcs. + Tool trolley workster smartline no. WSL-L7

Length mm	Width mm	Height mm	Pieces	Weight kg
510	785	1.045	147	97

WSL-L-TS-308 TOOL TROLLEY WORKSTER

with 308-piece tool assortment

automotive sector > Tools in metric sizes > Non-slip, with recessed grip > Resistant to oils and greases > Tools in metric sizes > In tool trolley No. WSL-L7 **Detailed listing of the range contents** from page 62 onwards €2499,00 **GEDORE**

Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
2980347	WSL-L-TS-308	 1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs. Pliers assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs. 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-1132-2163TX, 13 pcs Wrench set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-2, 72 pcs Tool assortment in 2/4 CT module No. TS CT2-7R-17 pcs Hacksaw No. 407 + Tool trolley workster smartline No. WSL-L7 	510	785	1.045	308	105,6

1578 **TOOL TROLLEY**






> Working platform in ABS, with 3 compartments for small parts

> Perfect tool combination in check tool modules for industry, trade and the

- > Safety through heel protection
- > Central locking with cylinder lock
- > All drawers extendable on both sides
- > Load capacity per drawer 20 kg
- > Total load capacity 200 kg




Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Crosswise divider	Lengthwise divider	Weight kg
9018140	1578	GEDORE blue, RAL 5017	930	605	375	4x Type 1, H = 75 mm 1x Type 2, H = 120 mm 1x Type 3, H = 210 mm	200	6	2	6	43



3100707	WSL-M6	GEDORE blue, RAL 5017	903	629	510	5x Type 1, H = 80 mm 1x Type 2, H = 160 mm	300	6


WSL-M-TS-172 TOOL TROLLEY WORKSTER with tool set 172 pieces

€949,00 **GEDORE**









ex ex

1/2" (

ÜNIT DRIVE

Weight kg

76,9

> For safer, orderly and mobile storage of tools

> Perfect tool combination in check tool modules

for industry, trade and the automotive sector > Working platform with PP top with front flattening and anti-roll safety edge > Non-slip, with recessed grip > Resistant to oils and greases > Tools in metric sizes

and equipment

48

Code	No.	Contents	Length mm	Width mm	Height mm	Pieces
3100197	WSL-M- TS-172	Combination wrench No. 1 B, SW 8 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm Socket wrench insert No. C19, SW 8 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm 1/2" screwdriver bit hexagon No. IN19, SW 5 6 7 8 9 10 12 14 17 19 mm 1/2" reversible ratchet No. 1993 U-10 T 1/2" extension no. 1990, 75 125 250 mm 1/2" extension No.1990 M, with holding magnet Bit socket wrench box with ratchet 1/4" 35 pcs., No. 666-U-20 Torsion bit set No. 666-042 1/4" ratchet screwdriver SilentGEAR No. 2675 with bit holder Offset screwdriver No. H 42-10, hexagon SW 1.3 1.5 2 2.5 3 4 5 6 8 10 mm 3C Screwdriver No. 2150, 4 5.5 6.5 8 mm 3C Screwdriver No. 2160 PH 1 2 Universal Pliers No. 142 10 TL, 10". Multiple Pliers No. 8133-200 JC, 200 mm Power side cutter No. 8316-180 JC, 180 mm	510	625	903	172

Voltage Detector Slot No. 4615 3, 220-250 V, 3mm, Engineer's hammer No. 4 E-500, 500 g Twist Drill Set No. 8550-024, Ø 1 1.5 2 2.5 3 3.5 4 4.5 5 5.5 6 6.5 7 7.5 8 8.5 9 9.5 10 10.5 mm

WHL-L7 TOOL TROLLEY WORKSTER with 7 drawers



- > Work platform with PP plastic cover with front flattening and roll protection edge, as well as small additional storage compartments, can and screwdriver holder
- > Stainless steel insert in top
- > Side panels with Euro perforation 10 x 38 mm
- > Sides rounded off minimising abutting edges
- Individual drawer stopping stops more than one drawer being opened, one-handed operation
- > Central locking with cylinder lock and security key
- > 5 flat, wide drawers (W 640 x D 400) with full extension
- > 2 high, wide drawers (W 640 x D 400) with full extension
- > Load capacity per drawer 40 kg
- > Total load capacity 500 kg



Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3033708	WHL-L7	GEDORE blue, RAL 5017	1.045	785	510	5x Type 1, H = 80 mm 2x Type 2, H = 160 mm	500	7	84

WHL-L-TS-147 TOOL TROLLEY WORKSTER 147 pieces

- Tool assembly in check-tool modules (CT) for industry, trade and automotive
- > 2-colour foam insert to check that the set is complete
- > Non-slip, with recessed grip
- > Resistant to oils and greases
- > Tools in metric sizes
- > In tool trolley No. WHL-L7











Code	No.	Height mm	Width mm	Depth mm	Contents	Drawers	Number of drawers	Pieces	Weight kg
3082105	WHL-L7- TS-147	1.045	785	510	1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-21545K-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs.	7 drawers: 5x Type 1, H = 80 mm 2x Type 2, H = 160 mm	7	147	97

+ Tool trolley workster highline No. WHL-L7

WHL-L7- TS-308 TROLLEY WORKSTER HIGH-LINE WITH TOOL ASSORTMENT

308 pieces





- > Tool assembly in check-tool modules (CT) for industry, trade and automotive
- > 2-colour foam insert to check that the set is complete
- > Non-slip, with recessed grip
- Resistant to oils and greases
- Tools in metric sizes
- > In tool trolley No. WHL-L7

Detailed listing of the range contents from page 62 onwards



Code	No.	Height mm	Width mm	Depth mm	Contents	Number of drawers	Pieces	Weight kg
3082113	WHL-L7-TS-308	1.045	785	510	 1/4" + 1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-21545K-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs. Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs. 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-11X19, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs Wrench set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-030, 59 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407 + Tool trolley workster highline No. WHL-L7 	7	308	112,6

2004 TOOL TROLLEY

n

П

No. 2004



- Storage compartment with perforated sheet (Euro perforation 10 x 38 mm), two removable drawers for small parts and door on the handle side
- Front side with Euro perforation 10 x 38 mm to fix hooks and tools
- > Safety due to heel protection and edge protection
- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer and storage compartment with safety locking, single-hand operation
- > Total load capacity 500 kg



Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Crosswise divider	Lengthwise divider	Weight kg
1640712	2004 0701	RAL 5017	985	875	606	7x Type 1, H = 67 mm 1x Type 3, H = 207 mm	1000	8	2	3	90

€**9**49,°°

1500 ES-02-2004 TOOL TROLLEY WITH TOOL ASSORTMENT

207 pieces

0

00000

0000

000 000

- High-performance tool trolley in proven GEDORE industrial quality with basic equipment for the commercial sector or the ambitious do-it-yourselfer
- Heel protection edging and impact protection ensure safety
- > Tools in metric sizes
- > Proven GEDORE ES tool modules in ABS plastic
- > Resistant to oils and greases
- > In tool trolley No. 2004 0620

Detailed listing of the range contents from page 62 onwards





Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
2657708	1500 ES-02-2004	Combination wrench set in 2/3 ES-module No. 1500 ES-1 B Double open ended wrench set in 1/3 ES-module No. 1500 ES-6 1/2" set of socket wrench inserts in 1/3 ES-module No. 1500 ES-19 IS 1/2" set of screwdriver inserts in 1/3 ES module No. 1500 ES-17X 19 LKP 1/2" set of screwdriver inserts in 1/3 ES module No. 1500 ES-1N 19 LKM 1/2" accessories for socket wrench inserts in 1/3 ES module No. 1500 ES-10 SU 1/4" socket wrench assortment in 1/3 ES module No. 1500 ES-20 Socket wrench set in 1/3 ES module No. 1500 ES-2133 Set of open-end wrenches with ring ratchet in 1/3 ES-module No. 1500 ES-7 R Pliers assortment in 1/3 ES module No. 1500 ES-145 Chisel assortment in 1/3 ES module No. 1500 ES-350	2		2	207	· · ·
		Measuring assortment in 1/3 ES module No. 1500 ES-711 Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH 1/2" screwdriver assortment in 1/3 ES module No. 1500 ES-K 1900 Set of mounting pliers in 1/3 ES module No. 1500 ES-8000 Distance module empty No.1500 ED-70 K, 475x77x40 mm [6x]. + Tool trolley with 8 drawers No. 2004 0620					





1500 ES-03-2004 TOOL TROLLEY WITH TOOL ASSORTMENT

325 pieces

- > High-performance tool trolley in proven GEDORE industrial quality with extensive industrial range for professionals
- > Heel protection edging and impact protection ensure safety
- > Tools in metric sizes
- > Proven GEDORE ES tool modules in ABS plastic
- > In tool trolley No. 2004 0810

Detailed listing of the range contents from page 62 onwards





6.3 1/4 12.5 1/2 6.3 1/4 8 5/6

Code	No.	Contents	Length mm	Width mm	Height mm	Pieces
2657716	1500 ES- 03-2004	Puller set in 1/3 ES module No. 1500 ES-1.07 Combination spanner set in 1/3 ES module No. 1500 ES-1 B Double box spanner set in 1/3 ES module No. 1500 ES-19 1/2" Socket set in 1/3 ES module No. 1500 ES-1915 1/2" Accessories for sockets in 1/3 ES module No. 1500 ES-1993 U-20 1/4" Socket set in 1/3 ES module No. 1500 CD-20 BIT Socket spanner set in 1/3 ES module No. 1500 ES-2133, Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH Screwdriver set in 1/3 ES module No. 1500 ES-2163 TX Double-ended spanner set in 1/3 ES module No. 1500 ES-34 Chisel assortment in 1/3 ES module No. 1500 ES-360 Double-ended ring spanner set in 1/3 ES module No. 1500 ES-400, open Double open-end spanner set in 1/3 ES module No. 1500 ES-400, open Double open-end spanner set in 1/3 ES module No. 1500 ES-400, open Double open-end spanner set in 1/3 ES module No. 1500 ES-70 Measuring set in 1/3 ES module No. 1500 ES-711 Set of assembly pliers in 1/3 ES module No. 1500 ES-710 Set of assembly pliers in 1/3 ES module No. 1500 ES-100 Offset screwdriver set in 1/3 ES module No. 1500 ES-117 19 LKM 1/2" Set of frazgonal screwdriver bits in 1/3 ES module No. 1500 ES-118 Screwdriver assortment in 1/3 ES module No. 1500 ES-117 19 LKM 1/2" Set of screwdriver bits in 1/3 ES module No. 1500 ES-117 19 LKM 1/2" Set of screwdriver bits in 1/3 ES module No. 1500 ES-117 19 LKM 1/2" Set of screwdriver bits in 1/3 ES module No. 1500 ES-117 19 LKM 1/2" Set of screwdriver bits in 1/3 ES module No. 1500 ES-117 19 LKM 1/2" Set of screwdriver bits in 1/3 ES module No. 1500 ES-117 19 LKM 1/2" Set of screwdriver set in 1/3 ES module No. 1500 ES-VDE 145 VDE Spiers assortment in 1/3 ES module No. 1500 ES-VDE 145 VDE Screwdriver set No. H 42 KEL-88, hexagonal SW 2 2.53 4 5 6 8 10 mm, ball end Offset screwdriver set No. H 43 KTX-07, SW TXT 110 T15 T20 T25 T27 T30 T40 Key file set No. 8728 Flat butt, 3-edge, 4-edge, half-round, round file Adjustable open-end spanner No. 60 P 8 10" Grip pliers No. 371 10, Voltage tester slot No. 4615 3, 220-	475	775	985	325

Weight kg

125,8

THE FLAGSHIP WITH GIGANTIC FEATURES

The GEDORE 2005 tool trolley is a statement on the workshop trolley market.

With its torsion-resistant body made of sheet steel, corrosion-resistant and scratch-proof powder-coated, the 2005 delivers a total load-bearing capacity of one ton.Even loaded with 750 kg, it is still manoeuvrable and mobile. With the lid made of robust ABS plastic, with optional stainless steel plate and expandable with a wooden plate, the 2005 is a mobile workstation that stands on secure feet.

Six drawers with a load capacity of 40 kg and a heavy-duty drawer with a load capacity of 60 kg offer plenty of space and capacity for what is the focus here: the complete hand tool equipment clearly arranged in ten check tool modules. Around the core, consisting of the professional ratchets in ½" and ¼" with accessories, screwdrivers, pliers, wrenches and Co. build up an equipment that leaves nothing to be desired in the workshop, automotive and industry with its scope.

With the safety lock for each drawer and the central locking, the valuable equipment is safely stored.



1

.....

300000

No.2005

couc	110.	Circles	mm	mm	mm	Tieces	kg
2980304	2005-TS- 308	1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-21545K-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs, Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs., 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-133-2163TX, 13 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs	475	775	985	308	121,6
		Wrench set in 2/4 CT module No. TS CT2-78-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-78-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407, + Tool trolley with 7 drawers No. 2005 0511					

1

INDESTRUCTIBLE

• Body made of corrosion-resistant and torsion-resistant sheet steel, scratch-resistant powder-coated.

SEVEN DRAWERS

 6 drawers with 40 kg load capacity and one heavy-duty drawer with 60 kg load capacity. All drawers on ball bearing guide rails.

SAFE STANDING

 The GEDORE axle design ensures smooth running, manoeuvrability and directional stability even under maximum load. 2 GEDORE heavy-duty wheels with roller bearings (fixed castors Ø 200 mm) 2 GEDORE light-duty wheels with ball bearings (swivel castors Ø 125 mm), both with total brake.

EXTENSIVE EQUIPMENT

• In addition to the complete socket sets in 1/4" and 1/2", the hand tool equipment also includes pliers, screwdrivers, impact tools, etc. in top quality.

5

PRACTICAL CHECK TOOL MODULES

 The tools are housed in the drawers in practical check tool modules. In addition to optimum clarity, any loss here is immediately noticeable.



"The 2005 tool trolley from GEDORE is highly durable and impresses with its gigantic equipment in every respect! This is real top quality!"

For the safe, clear and mobile storage oftools and equipment
 Total load capacity 1000 kg static, 500 kg dynamic

2005 TOOL TROLLEY

> ABS plastic shelf with small parts compartment > Both side walls with square holes for attaching torque wrenchestorque spanners or other long tools or small partssmall parts > Central locking with cylinder lock > Wide drawers (W 640 x D 400 mm) with full extension, removable > Safety lock for each drawer, one-hand operation > Ball-bearing guide rails > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg > GEDORE trapezoidal axle construction ensures smooth running, €969,•₩ manoeuvrabilityand directional stability > Can be optimally equipped with GEDORE tool modules (No. 1500 ES/1500 CT or 2005 CT) > Can be extended as required with GEDORE add-on chests, rear panelsand tool holders > Further drawer variants on request GEDORE No. 2005 500 kg **F** Ex Max. load-bearing Lengthwise RAL Width Code No. Height Depth Drawers Number of Crosswise Weight mm mm mm capacity kg drawers divider divider kg 2005 0511 GEDORE blue, 985 875 606 1000 83 1803018 5x Type 1, H = 67 mm 7 2 3 RAL 5017 1x Type 2, H = 137 mm 1x Type 3, H = 207 mm

2005-TS-190 **TOOL TROLLEY WITH TOOL ASSORTMENT**

190 pieces





- > For industry, the trades, automotive
- > Tools in metric sizes

€**1698,**00

- > GEDORE Check-Tool-System:
- 2-colour foam insert to check that the set is complete
- > In tool trolley No. 2005 0511
- > Non-slip, with recessed grip

Detailed listing of the range

contents from page 62 onwards

🖌 🔁 😽

> For industry, the trades,

automotive > Tools in metric sizes

			5		<u></u>] [1] (4 1 <u>/2</u>
Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
2980290	2005-TS-190	1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs. Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs. 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs + Tool trolley with 7 drawers No. 2005 0511	475	775	985	190	109,6

2005-TS-147 **TOOL TROLLEY WITH TOOL ASSORTMENT**

147 pieces



	2x	
	1⁄4″	1/2"

Pieces

147

Weight kg

104,3

Width

mm

775

Height

mm

985

Code	No.	Contents	Length mm
2980282	2005-TS-147	1/4"+1/2" socket key assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination spanner set in CT module No. TS CT2-7, 24 pcs	475
		Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs Pliers set in CT module No. TS CT2-142, 28 pcs, + trolley with 7 drawers No. 2005 0511	



Code	No.	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3411435	TTB 0321	985	775	475	3x Type1, H. = 67 mm 2x Type2, H. = 137 mm 1x Type3, H. = 207 mm	900	6	78

TTB-TS-173 **TOOL TROLLEY WITH** ASSORTMENT 173 pieces



Code	No.	Height mm	Width mm	Depth mm
3411443	TTB-TS-173	985	775	475

Contents

Tool assortment in CT inserts

+ Tool trolley with 6 drawers

No. TS-173, 173 pcs.

No. TTB 0321



- > Compact tool trolley with versatile tool set, as basic equipment for the workshop
- > The total load capacity is 900 kg (static) and 650 kg
- > Intelligent product selection from which the torsion bit set, a 1/4" bit socket box and multiple pliers stand out
- > The torsion bit set with torsion bits, sockets and much more for demanding and diverse screw connections.
- > Bit socket wrench box including the premium quality ratchet with a low swing-back angle of 6° for hard-toreach places
- > The multiple pliers are perfect for holding, bending, cutting, stripping, crimping and squeezing


Detailed listing of the range contents from page 119 onwards



Drawers	Pieces	Weight kg
3x Type1, H. = 67 mm	173	90,7
2x Type2, H. = 137 mm		
1x Type3, H. = 207 mm		

1504 XL MOBILE WORKBENCH with 7 drawers

- E1499⁰⁰ GEDORE 1504 XL
- > For safer, orderly and mobile storage of tools and equipment
- > 4 drawers with ample storage space, plus one XL drawer and six wide removable drawers
- > Dimensions: H 985 x W 1250 x D 550 mm
- > GEDORE trapezoidal axle design ensures smooth running, manoeuvrability and directional stability even under maximum load
- > Large storage space with shelf and lockable door
- > Safety for persons due to heel protection
- > Central locking with cylinder lock, simultaneous locking of drawers and door
- > Central locking with cylinder lock
- > GEDORE heavy-duty chassis, two GEDORE heavy-duty wheels with roller bearings (fixed castors Ø 200 mm) and two GEDORE light-duty wheels with ball bearings (swivel castors Ø 125 mm) with two total brakes
- > Sheet steel welded , corrosion resistant and scratch-proof powder-coated




Length mm Width mm Height mm Code No. Worktop thickness mm Drawers Number of drawers Weight kg 1988468 1504 XL 550 1 2 5 0 985 30 1x Type 1, H. = 67 mm extra wide 7 124 4x Type 2, H. = 67 mm 1x Type 3, H. = 137 mm 1x Type 4, H. = 207 mm

1504 XL-TS-308 WORKBENCH WITH **TOOL ASSORTMENT**



- > Perfect tool combination in check tool modules for industry, trade and the automotive sector
- > Tools in metric sizes
- > Non-slip, with recessed grip
- > Resistant to oils and greases
- > Tools in metric sizes
- > In workbench No 1504 XL

Detailed listing of the range contents from page 62 onwards



Weight kg

148,6

Pieces

308

Height mm

985

Length mm

550

Width mm

1.250

Code No. Contents 2980355 1504 XL-1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs TS-308 Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs. Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs. 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs Wrench set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-D30, 59 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407 + mobile workbench No. 1504 XL, 1.25 m wide

1504 0810 MOBILE WORKBENCH with 9 drawers



Code	No.	Length mm	Width mm	Height mm	Worktop thickness mm	Drawers	Number of drawers	Weight kg
1814923	1504 0810	1.100	625	990	30	8x Type 1, H = 67 mm 1x Type 2, H = 137 mm	9	111



GEDOREF 1504

 Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

> Drawers with one-hand operation and safety lock
 > 30 mm thick multiplex beech plywood, surface additionally

protected by linseed oil varnish

- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > Safety through heel protection
- > Central locking with cylinder lock
- > Safety through heel protection for persons

Drawers:

- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > GEDORE high-performance chassis, total load-bearing capacity 700 kg, in mobile operation 500 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads
- > Special colours and designs available on request



1x Type 3, H = 207 mm



Code	No.	Length mm	Width mm	Height mm	Worktop thickness mm	Drawers	Number of drawers	Weight kg
6623990	BR 1504 0511 LH	550	1.100	985	30	5x Type 1, H = 67 mm	7	130
						1x Type 2. H = 137 mm		

THE ROCK IN THE SURF

The GEDORE rolling workbench extra wide 1506 XL 2511 is a mobile workstation in a class of its own, equipped with a 30 mm thick multiplex laminated beech wood top!

14 drawers in two equal blocks, each with a load capacity of 40 kg, the lower heavy-duty drawers even 60 kg, provide space for a large tool kit. The central locking system allows all drawers to be locked at the same time. The drawers run on ball bearing guide rails and can be fully pulled out and removed for easy access. The drawers can be individually fitted with lengthwise

3

4

and crosswise dividers and are compatible with GEDORE tool modules. The 1506 XL also offers great reserves in terms of load capacity, thanks to its torsion-resistant sheet steel construction. The total load capacity is one tonne (1000 kg). Loaded with 750 kg, the rolling workbench can still be operated as a mobile unit. Thanks to the GEDORE high-performance running gear (200 mm fixed castors and 125 mm swivel castors) with trapezoidal axle design, smooth running, manoeuvrability and directional stability are guaranteed even under maximum load.



STABLE AND TORSION-RESISTANT

GEDOREF 1506 XL

• Body made of corrosion-resistant sheet steel, scratch-resistant powder-coated in GEDORE blue.

SOLID WORK SURFACE

• 30 mm thick multiplex beech plywood, surface additionally protected by linseed oil varnish.

STR

and the second

mmin

00000

unitaria.

- STRONG DRAWERS
- Wide drawers (W 480 x D 400 mm) with full extension, removable. Load capacity per drawer 40 kg, lower heavy-duty drawers 60 kg. With central locking.

 MANOEUVRABLE AND SMOOTH-RUNNING
 The GEDORE high-performance chassis with trapezoidal axle design ensures smooth running, manoeuvrability and directional stability even under maximum load. EVERYTHING CAN BE STORED IN THE 14 DRAWERS

> "The 1506 XL 2511 rolling workbench from GEDORE is a real space-saver, yet small and mobile. The 14 drawers offer space for the entire tool kit and you always have everything at hand at the workplace."

1506 XL 2511 MOBILE WORKBENCH



- > For safer, orderly and mobile storage of tools and equipment
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > With 2 similar drawer blocks
- > Safety for persons due to heel protection
- > Central locking with cylinder lock per drawer unit, keyed alike
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 1000 kg, 750 kg when mobile
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads
- > 4 distance modules No. 1500 ED-70 K
- > Length- (LT) and crosswise (QT) dividers from zinc-plated sheet steel (can be ordered individually)
- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Rear panel R 1504 XL-L can be added
- > Different locks on request
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories

Code	No.	Length mm	Width mm	Height mm	Worktop thickness mm	Drawers	Number of drawers	Weight kg
2528088	1506 XL 2511	550	1.250	985	30	10x Type 1, H = 67 mm	14	141
						2x Type 2, H = 137 mm		
						2x Type 3, H = 207 mm		





Body:

- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > 40 mm thick multiplex beech plywood board, surface additionally protected by linseed oil varnish
- > Large storage space with shelf and lockable door
- > Easy, safe movement with pull handle
- > Safety for persons due to heel protection
- > Central locking with cylinder lock, simultaneous locking of drawers and door
- > 5 wide drawers (W 480 x D 550 mm) with partial extension (505 mm),
- removable
- > Central locking with cylinder lock
- > Ball-bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg
- > Total load capacity 2000 kg, 500 kg when mobile
- > Load capacity per drawer 40 kg
- > Absolutely stable standing when lowered
- > Mobile due to hydraulic raising mechanism, just lift the pull handle
- > High floor clearance
- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Rear panel no. R 1504 L can be added
- > Special colours and designs available on request
- > Delivery without tools and accessories

Code	No.	Length mm	Width mm	Height mm	Worktop thickness mm	Drawers	Number of drawers	Weight kg
6621780	1505	652	1.100	900	40	3x Type 1, H = 79 mm	5	139
						1x Type 2, H = 160 mm		
						1x Type 3, H = 180 mm		



1500 H 25-8 SPRAY CAN HOLDER for 8 spray cans



- > Compatible with standard Euro square perforation 10 x 38 mm
- > Can also be used as transport box due to removable dividers
- > powder-coated
- > With carrying handle
- Internal dimensions are compatible with GEDORE 1500 CT modules
- > Front square perforation for additional hooks (not included)
- > Delivery without tools and accessories



Code	No.	Width mm	Height mm	Length mm	Weight kg
3127907	1500 H 25-8	99	99	99	2,05

1500 H 40 PAPER ROLL HOLDER



- > For paper rolls up to diameter 320 mm and width 320 mm
- Lateral perforation for additional hooks (not included in delivery)
- > Made of sheet steel
- > Colour RAL 9005 black
- > Suitable for all tool trolleys/benches with Euro perforation 10 x 38 mm
- > Delivery without tools and accessories



Code	No.	Length mm	Width mm	Weight kg
2997754	1500 H 40	200	350	1,1

BR 1500 LH WORKBENCH WITH TOOL CABINET

> Large storage space with shutter > Safety through heel protection GEDORE > Shutter with cylinder lock > Rear panel with square perforation 10 x 38 mm
 > Separate central locking of drawers and shutter with cylinder locks > Dimensions: H 890 x W 1810 x D 170 mm > Load capacity per drawer 40 kg > Total load capacity (workbench) 2000 kg > Special colours and designs available on request €3395,00 GEDORE

Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load- bearing capacity kg	Number of drawers	Shelves	Crosswise divider	Lengthwise divider	Worktop thickness mm	Weight kg
6618210	BR 1500 LH	GEDORE blue	1.790	2.000	875	3x Type 1, H = 79 mm 1x Type 2, H = 160 mm 1x Type 3, H = 180 mm	2000	5	1	9	9	40	203,73

RT 2004 L **REAR PANEL BOARD**



> Can be attached to 2004 and 2005 (as well as retro fit to models 2002 and 2003)

> Sheet steel, corrosion resistant and scratch-proof

> 40 mm thick multiplex beech plywood board, surface additionally protected by linseed oil

powder-coated, GEDORE blue

varnish

> Square perforation 10 x 38 mm for tool hooks and holders No. 1500 H



Code	No.	Length mm	Depth mm	Width mm	Weight kg
2663104	RT 2004 L	30	715	765	11

S1500 ES-01 MODULE ASSORTMENT SMAL 104 pieces







Pieces	Weight kg
104	14,02

2319845

No.

Code

Contents S 1500 ES-01

Combination wrench set in 2/3 ES-module No. 1500 ES-1 B 1/2" set of socket wrench inserts in 1/3 ES-module No. 1500 ES-19, hexagon 1/2" accessories for socket wrench inserts in 1/3 ES module No. 1500 ES-1993 U-20 1/4" socket wrench assortment in 1/3 ES module No. 1500 ES-20 Pliers assortment in 1/3 ES module No. 1500 ES-145 Chisel assortment in 1/3 ES module No. 1500 ES-350 Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH

S1500 ES-02 MODULE ASSORTMENT MIDDLE 207 pieces

- 000 0000 000 JUUUL 000 000 AOC
- > Basic equipment for the commercial sector or ambitious do-it-yourselfers

> General basic assortment for beginners of all

> Proven GEDORE ES tool modules in ABS plastic > For tool trolley No. WSL-L7 (workster) and workbench No. 1506 XL Version 2511 and 2810

professions

> Tools in metric sizes

- > Tools in metric sizes
- > Proven GEDORE ES tool modules in ABS plastic
- > Suitable for mounting in GEDORE tool trolley No. WSL-L7 (workster)
- > For workbench No. 1504 Variant 0701, 0810, No. 1506 XL Variant 2511 and 2810





Pieces Weight kg 207 28,3

Code	No.	Contents
2319853	S 1500 ES-02	Combination spanner set in 2/3 ES module No. 1500 ES-1 B
		Double open ended spanner set in 1/3 ES module No. 1500 ES-6
		1/2" set of socket wrench inserts in 1/3 ES module No. 1500 ES-19 IS
		1/2" set screwdriver inserts in 1/3 ES module No. 1500 ES-ITX 19 LKP
		1/2" set screwdriver inserts in 1/3 ES module No. 1500 ES-IN 19 LKM
		1/2" accessories for socket wrench inserts in 1/3 ES module No. 1500 ES-1993 U-20
		1/4" socket wrench assortment in 1/3 ES module No. 1500 ES-20
		Socket wrench set in 1/3 ES module No. 1500 ES-2133
		Set of open-end wrenches with ring ratchet in 1/3 ES module No. 1500 ES-7 R
		Pliers assortment in 1/3 ES module No. 1500 ES-145
		Chisel assortment in 1/3 ES module No. 1500 ES-350
		Measuring assortment in 1/3 ES module No. 1500 ES-711
		Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH 1/2" ES-2150 PH
		Screwdriver assortment in 1/3 ES module No. 1500 ES-K 1900
		Set of mounting pliers in 1/3 ES module No. 1500 ES-8000
		Distance module empty No.1500 ED-70 K, 475x77x40 mm [6x].

S 1500 ES-0 MODULE A 325 pieces	 Extensive industrial range for professionals Tools in metric sizes Proven GEDORE ES tool modules in ABS plastic For tool trolley no. 2005 variant 0810, no. 2004 variant 0810, 1000 	
		 For workbench No. 1504 Version 0810, No. 1504 XL, No. 1506 XL Version 2511, 2810, No. 1507 XL Also available in tool trolley No. 2004 0810
Code No. 2319861 \$1500 ES-03	ContentsPuller set in 1/3 ES module No. 1500 ES-1.07Combination spanner set in 2/3 ES module No. 1500 ES-1 BDouble box spanner set in 1/3 ES module No. 1500 ES-21/2" Socket set in 1/3 ES module No. 1500 ES-19 IS1/2" Accessories for sockets in 1/3 ES module No. 1500 ES-1993 U-201/4" Socket set in 1/3 ES module No. 1500 ES-20, 1/4" Socket set in CT module No. 1500 CTD-20 BITSocket spanner set in 1/3 ES module No. 1500 ES-2133Screwdriver set in 1/3 ES module No. 1500 ES-2163 TXDouble-ended spanner set in 1/3 ES module No. 1500 ES-34Chisel set in 1/3 ES module No. 1500 ES-350Double box spanner set in 1/3 ES module No. 1500 ES-400, openDouble open-end spanner set in 1/3 ES module No. 1500 ES-77 RMeasuring set in 1/3 ES module No. 1500 ES-711, Set of assembly pliers in 1/3 ES module No. 1500 ES-71 SOffset screwdriver set in 1/3 ES module No. 1500 ES-1121421/2" Set of screwdriver bits in 1/3 ES module No. 1500 ES-IN 19 LKM1/2" Set of screwdriver bits in 1/3 ES module No. 1500 ES-IN 19 LKM1/2" Screwdriver set in 1/3 ES module No. 1500 ES-IN 19 LKM1/2" Screwdriver set in 1/3 ES module No. 1500 ES-IN 19 LKM1/2" Screwdriver set in 1/3 ES module No. 1500 ES-IN 19 LKM1/2" Screwdriver set in 1/3 ES module No. 1500 ES-IN 19 LKM1/2" Screwdriver set in 1/3 ES module No. 1500 ES-IN 19 LKM1/2" Screwdriver set in 1/3 ES module No. 1500 ES-IN 19 LKM1/2" Screwdriver set No. H 42 KEL-88, SW 2.2.5 3 4 5 6 8 10 mm, ball endOffset screwdriver set No. H 42 KKL-88, SW 2.2.5 3 4 5 6 8 10 mm, ball endOffset screwdriver set No. H 43 KTX-07, SW TX T10 T15 T20 T25 T27 T30 T40<	-M18

TS-147 **TOOL ASSORTMENT** in check tool modules, 147 pieces

Code

2955997

No.

TS-147

- > Tools in metric sizes
- > GEDORE Check-Tool-System:
- 2-colour foam insert to check that the set is complete
- > Each tool is securely held in its own pocket, grip recesses facilitate removal of the tools
- > Resistant to oils and greases







 Pieces
 Weight kg

 147
 11,98

Contents 1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pieces Combination spanner set in CT module no. TS CT2-7, 24 pieces Tool assortment in CT module no. TS CT2-21545K-119, 14 pieces Pliers range in CT module no. TS CT2-142, 28 pieces

TS-190 TOOL ASSORTMENT in check tool modules, 190 pieces

1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pieces Combination spanner set in CT module no. TS CT2-7, 24 pieces Tool assortment in CT module no. TS CT2-2154SK-119, 14 pieces Pliers range in CT module no. TS CT2-142, 28 pieces Tool assortment in 2/4 CT module no. TS CT2-6-8000, 15 pcs. 1/2" set screwdriver bits in 2/4 CT module no. TS CT2-ITX19, 28 pcs. > Tools in metric sizes

- > GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > Each tool is securely held in its own pocket, grip recesses facilitate removal of the tools
- > Resistant to oils and greases





Pieces	Weight kg
190	17,08

TS-308
TOOL ASSORTMENT

Contents

Code

2956527

No.

TS-190

in Check-Tool-Module 308 pieces



- > Tools in metric sizes
- GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > Each tool is securely held in its own pocket, grip recesses facilitate removal of the tools
- > Resistant to oils and greases
- CT2 module = 1/2 drawer 2005 (316.5 x 390 x 35 mm)
- > CT2 suitable for 1506 XL, 1504 and 2004








Code 2956535 No.

TS-308

Contents

1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pcs. Combination spanner set in CT module no. TS CT2-7, 24 pcs. Tool assortment in CT module no. TS CT2-2154SK-119, 14 pcs. Pliers range in CT module no. TS CT2-142, 28 pcs. Tool assortment in 2/4 CT module no. TS CT2-6-8000, 15 pcs. 1/2" set screwdriver bits in 2/4 CT module no. TS CT2-1TX19, 28 pcs. Tool assortment in 2/4 CT module no. TS CT2-2133-2163TX, 13 pcs. Screwdriver set in 2/4 CT module no. TS CT2-7R-2, 28 pcs. Tool assortment in 2/4 CT module no. TS CT2-7R-2, 28 pcs. Tool assortment in 2/4 CT module no. TS CT2-7R-2, 29 pcs. Tool assortment in 2/4 CT module no. TS CT2-710, 17 pcs. Hacksaw no. 407

1500 CT1-142 PLIERS SET in 1/3 Check-Tool-Module



- > Practical set composition for a wide range of applications in all trades
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
 > Recessed grips facilitate the removal of the tool
- > 1/3 Check Tool Module: W 157.5 x D 310 mm

CO790

				÷,		
Code 2309025	No. 1500 CT1-142	Contents 10″ universal pliers No. 142 10 JC, 2C handle Power combination pliers No. 8250-180 JC, 180 mm 2C handle Bent nose pliers No. 8132-160 JC, 160 mm 2C handle Power side cutter No. 8316-160 JC, 160 mm 2C handle	Width m 157,5	m Depth mm 310	Pieces 4	Weight kg 1,217
ACCI SOC			 Perfect set for hand-oper screws and nuts With Check-Tool insert fo Particularly suitable for wensured that no tools are Bottom layer blue, top lay Recessed grips facilitate to 	quick check of tool co ork in sensitive areas left behind. rer black, blue indicat he removal of the too	ompleteness where it must es missing too	J
Code 2309114	No. 1500 CT1-1993 U-20	Contents 1/2" reversible ratchet No. 1993 U-20, 1/2" cross handle No.1987, 292 mm 1/2" universal joint No. 1995, 1/2" Extension No. 1990, 5 10 mm	Length m i 310	n Width mm 158	Pieces 5	Weight kg 1,7
DOU		DED RING SPANNER SET nodule, 8 pieces	 > Practical set composition > With Check-Tool insert fo > Particularly suitable for w ensured that no tools are > Bottom layer blue, top lay 	r quick check of tool co ork in sensitive areas left behind.	ompleteness where it must	t be






-	 	
CUNIT		
-	 	

Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg
2308827	1500 CT1-2	Double-ended ring spanner UD profile No. 2 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	310	158	8	1,36

1500 CT1-20 SOCKET SET 1/4" in 1/3 Check-Tool-Module, 37 pieces



- > Extensive range of accessories for the most common bolting applications
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

Lengt

310


				29 <mark>,</mark> •
		ě		
	C		0	
	C			

th mm	Width mm	Pieces	Weight kg
	158	37	0,845

6,3 1/4"

Code	No.	Contents
2308967	1500 CT1-20	1/4" socket No.20 hex AF 4 5 5.5 6 7 8 9 10 11 12 13 14 mm
		1/4" screwdriver bit socket No. IN 20 hex AF 3 4 5 6 8 mm
		1/4" screwdriver bit socket No. ITX 20, AF T8 T9 T10 T15 T20 T25 T27 T30 T40 mm
		1/4" socket No. TX 20, E4 E5 E6 E7 E8 E10, 1/4" sliding T-bar with slider No. 2087, 115 mm
		1/4" extension No. 2090-4. 97 mm, 1/4" universal joint No. 2095
		1/4" square plug-in handle No. 2098, 2C handle
		1/4" reversible ratchet U-10, 127 mm

1500 CT1-2133 SOCKET SET in 1/3 Check-Tool module, 6 pieces



- > Perfect set for easy and quick loosening of screws with hexagonal head and nuts
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

No.	Contents	Length mm	Width mm	Pieces	Weight kg
1500 CT1-2133	Socket wrench with 3C handle No. 2133, SW 5.5 6 7 8 9 10 mm	310	158	6	0,82

1500 CT1-2150 PH SCREWDRIVER SET

in 1/3 Check-Tool module, 6 pieces



- > Perfect set for slotted and Phillips screws PH > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it
- must be ensured that no tools are left behind. > Bottom layer blue, top layer black, blue indicates
- missing tool
- > Recessed grips facilitate the removal of the tool



Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg
2309130	1500 CT1-2150 PH	3C screwdriver slotted No. 2150, 4 5.5 6.5 8 mm 3C screwdriver cross-slotted No. 2160 PH 1 2	310	158	6	0,63

Code

2309122

1500 CT1-2150 PZ SCREWDRIVER SET

in 1/3 Check-Tool module, 6 pieces

> Perfect set for slotted and Phillips screws PZ

- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.

- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool



Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg
2309149	1500 CT1-2150 PZ	3C screwdriver slotted No. 2150, 4 5.5 6.5 8 mm 3C screwdriver cross-slotted No. 2160 PZ 1 2	310	158	6	0,63

1500 CT1-2163 TX SCREWDRIVER SET

in 1/3 Check-Tool module, 6 pieces




- > Perfect set composition for inside TX screws
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

					۲	
Code	No.	Contents	Length	mm Width mm	Pieces	Weight kg
2309157	1500 CT1-2163 TX	3C screwdriver recessed TX with drill hole No. 2163 TXB, AF T8 T10 T15 T20 T25 T30 $\rm mm$	310	158	6	0,4

1500 CT1-2163 TXB SCREWDRIVER SET

in 1/3 Check-Tool module, 6 pieces

- > Perfect set composition for inside TX screws with pin
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool



Q		

Code	No.	Contents
2309165	1500 CT1-2163	3C screwdriver recessed TX with drill hole No. 2163 TXB
	ТХВ	AF T10 T15 T20 T25 T30 T40 mm

Length mm	Width mm	Pieces	Weight kg
310	158	6	0,5

1500 CT1-30 SOCKET SET 3/8"

in 1/3 Check-Tool module, 24 pieces



> Perfect set composition for the most common bolting cases

- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

10 3/8

Weight kg

1,67

Code	No.	Contents	Length mm	Width mm	Pieces
2308975	1500 CT1-30	3/8" socket hex No. 30, AF 6 7 8 9 10 11 12 13 14 15 16 17 18 19 3/8" screwdriver bit socket hex, No. IN 30, AF 4 5 6 8 10 mm 3/8" universal joint No. 3095, 51 mm, 3/8" sliding T-bar No. 3087 3/8" extension No. 3090 -5 -10, 125 250 mm 3/8" reversible ratchet No. 3093 U-10, 200 mm	310	158	24

1500 CT1-350 CHISEL SET

in 1/3 Check-Tool module, 8 pieces



- > Perfect set composition for the most common troke applications
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

|--|--|

Pieces

8

Weight kg

1,425

Code	No.	Contents
2309041	1500 CT1-350	Flat chisel No. 97-250, 250x24 mm, Cross-cut chisel No. 98-125, 125 mm
		Drift punch No. 99 12-5 12-8, Ø 5 8 mm, Centre punch No. 100-12, 120x12x5 mm
		Pin punch, No. 119-1.5 3 4 mm
		Engineers' hammer ROTBAND-PLUS No.600 H-300, with hickory shaft 300g

Width mm

158

1500 CT1-400 **DOUBLE ENDED RING SPANNER SET, OPEN** in 1/3 Check Tool Module, 5 pieces



> Perfect set for the assembly of pipe fittings

Length mm

310

- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool




Length mm	Width mm	Pieces	Weight kg
310	158	5	0,565

1500 CT1-6 DOUBLE OPEN ENDED SPANNER SET

in 1/3 Check-Tool-Module, 10 pieces

- > Perfect set for use on nuts and bolts
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- Bottom layer blue, top layer black, blue indicates missing tool






Coc	de	No.	Contents	Length mm	Width mm	Pieces	Weight kg
230	08851	1500 CT1-6	Double open-ended spanner No. 6, AF 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 mm	310	158	10	1,44

1500 CT1-7 R COMBINATION RATCHET SPANNER SET

in 1/3 Check-Tool-Module, 10 pieces



- Perfect set composition for ratcheting release and the quick suit
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
 > Bottom layer blue, top layer black, blue indicates
 - missing tool

€149,...

Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg
2308894	1500 CT1-7 R	Combination ratchet spanner No. 7 R, SW 8 10 12 13 14 15 16 17 18 19 mm	310	158	10	1,24

1500 CT1-7 UR COMBINATION RATCHET SPANNER SET, REVERSIBLE in 1/3 Check-Tool-Module, 10 pieces




- > Perfect set composition for ratcheting release and the quick suit
- Clockwise and counterclockwise rotation possible via switch lever
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg	
2331969	1500 CT1-7 UR	Combination ratchet spanner No. 7 UR, SW 8 10 12 13 14 15 16 17 18 19 mm	310	158	10	1,245	

1500 CT1-8000 SET OF CIRCLIP PLIERS

in 1/3 Check-Tool module, 6 pieces



Code No. 2309181 1500 CT1-8000 Contents Circlip pliers for external retaining rings No. 8000 A 1 A 2 A 21 Circlip pliers for internal retaining rings No. 8000 J 1 J 2 J 21

1500 CT1-D 19 SOCKET SET 1/2", **UD-PROFILE**

in 1/3 check tool module, 26 pieces



Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg
2308916	1500 CT1-D 19	Socket wrench insert 1/2" No. D 19, SW 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 mm Screwdriver bit socket 1/2" No. IN 19, SW 6 7 8 9 10 12 14 mm	310	158	26	2,68

1500 CT1-IN 19 LKM SCREWDRIVER BIT SOCKET SET 1/2"

in 1/3 Check-Tool module, 13 pieces

- C €**123,**•••

- > Perfect set composition for inner and outer retaining rings
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black,
- blue indicates missing tool
- > Recessed grips facilitate the removal of the tool



Length mm	Width mm	Pieces	Weight kg
310	158	6	1,009

- > Perfect set composition for hand-operated bolting applications
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool

12,5	1/2"	

Length mm	Width mm	Pieces	Weight kg
310	158	26	2,68


- > Perfect set for hexagon socket screws
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool



Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg
2308932	1500 CT1-IN 19 LKM	Screwdriver bit socket 1/2″ No. IN 19, SW 6 7 8 10 12 14 mm Screwdriver bit socket 1/2″ No. IN 19 L 6-140 7-140 8-140 9-140 10-140 12-140 14-140	310	158	13	1,9

1500 CT1-INX 19 LK SCREWDRIVER BIT SOCKET SET 1/2"

in 1/3 Check-Tool module, 11 pieces



Code 2957957 No.

Contents INX 19 8 10 12 14 16 18 INX 19 L 6-100 8-100 10-100 12-100 14-100

1500 CT1-ITX 19 LKP SCREWDRIVER BIT SOCKET SET 1/2"

1500 CT1-INX 19 LK

in 1/3 Check-Tool module, 19 pieces



 Code
 No.

 2308940
 1500 CT1-ITX 19 LKP

Contents

Screwdriver bit socket 1/2" No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60 Screwdriver bit socket 1/2" No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100, TX Screw Gauge No. 708 Length mm Width mm Pieces Weight kg 310 158 19 1,915

1500 CT1-ITX 30 SCREWDRIVER BIT SOCKET SET 3/8" in 1/3 Check-Tool-Module, 39 pieces

Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ
 Θ

Screwdriver bit socket 3/8" No. IKS 30 1 2 3, Screwdriver bit socket 3/8" No. IKS 30 PZD 1 2 3

- Perfect set composition for internal TX screws
 With Chack Tool insert for quick shock of tool
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

10	[³ / ₈ "]	Τ

Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg
2308983	1500 CT1-ITX 30	Socket wrench insert 3/8" No. TX 30 E5 E6 E7 E8 E10 E11 E12 E14 Screwdriver bit socket 3/8" No. IN 30 L, hexagon SW 4 5 6 7 8 10 mm Screwdriver bit socket 3/8" No. ITX 30 T20 T25 T27 T30 T40 T45 T50 Screwdriver bit socket 3/8" No. ITX 30 L T20 T25 T27 T30 T40 T45 T50 Screwdriver bit socket 3/8" slot No. IS 30, SW 5.5 6.5 8 10 12 mm	310	158	39	2,175

- > Perfect set for inside 12-sided screws
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- Bottom layer blue, top layer black, blue indicates missing tool



Length m	m Width mm	Pieces	Weight kg
310	158	11	1,044

- > Perfect set composition for inside TX screws
- > With Check-Tool insert for quick check of tool completeness
- Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

|12,5| | ¹/2"

1500 CT1-VDE 142 VDE PLIERS SET in 1/3 Check-Tool module, 4 pieces



 Practical set composition for a wide range of applications in the electronics sector

- With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.

S A 1000 V

Pieces

4

Weiaht ka

1,158

- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool


Code	No.
2309033	1500 CT1-VDE 142

Contents

Universal Pliers No. 142 10 C, 10", VDE Power combination pliers No. VDE 8250-180 H VDE Flat-nosed Pliers No. VDE 8132-160 H, VDE Side cutter No. VDE 8314-160 H

1500 CT1-VDE 2170 PZ	
VDE SCREWDRIVER SE	T

in 1/3 Check-Tool module, 6 pieces



- > Perfect set for slotted and Phillips PZ screws in the electronics sector
- > With Check-Tool insert for quick check of tool completeness

Width mm

158

Length mm

310

- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

Code	
2309173	

Contents VDE Screwdriver slotted no. VDE 2170, SW 4 5.5 6.5 8 mm VDE Screwdriver cross recess No. VDE 2160 PZ 1 2



1500 CT2-7 COMBINATION SPANNER SET


No.

2170 PZ

1500 CT1-VDE

in 2/3 Check-Tool-Module, 25 pieces





> Perfect set composition for universal use

- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

Code	No.
2308878	1500 CT2-7

Contents
Combination wrench No. 7, SW 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm
Offset screwdriver set No. PH 42-88 hexagon SW 2 2.5 3 4 5 6 8 10 mm

Length mm	Width mm	Pieces	Weight kg
310	315	25	1,75

1500 CT2-7-32 COMBINATION SPANNER SET

in 2/3 Check-Tool module, 5 pieces





> Perfect set composition for universal use

- > With Check-Tool insert for quick check of tool completeness
- Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- Bottom layer blue, top layer black, blue indicates missing tool
 - > Recessed grips facilitate the removal of the tool




Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg	
2308886	1500 CT2-7-32	Combination spanner No. 7, Size 23 24 27 30 32 mm	310	315	5	1,865	

1500 CT2-DT 2142 HEXAGON SOCKET KEY SET

in 2/3 Check-Tool module, 9 pieces





- > Perfect set for hexagon socket screws
- > With Check-Tool insert for quick check of tool completeness
- Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool



Code 2309009	No. 1500 CT2-DT 2142	Contents 2 Offset screwdriver with 2C T-handle N	lo. DT 2142, SW 2 2.5 3 4 5 6 7 8 10 n	ım	Length mm 310	Width mm 315	Pieces 9	Weight kg 0,9
	ED-70 K ANCE M	10DULE	e	5 <mark>30</mark> , +VAT	No. 15 for too No. 15 > Made	lancing and fixing 00 ES in drawers of ol trolleys No. 2004 02, 1504, 1505 and of impact-resistant grained	f depth 400 m and workbend d 1506 XL	
Code <i>1618687</i>	No. 1500 ED-70 K	Width mm 475	Depth mm 77	Height mm 40				Weight kg 0,12
DIST	ED-70 S ANCE ULE 1/E	3		E 7,60	No. 20 No. 24	ol trolley No. WSL-L 05, workbench No. 30, suitable as spa le in sheet steel	. 1504 XL and 1	cool chest
Code <i>1851462</i>	No. 1500 ED-70 S	Width mm 152	Depth mm 77	Height mm 40				Weight kg 0,15

1500 ED-70 XL DISTANCE MODULE EMPTY empty


€10,95

- Suitable to take torque wrenches and other long hand tools or small pieces
- For tool trolley No. WSL-L7 (workster) and No. 2005, workbench No. 1504 XL and tool chest No. 2430
- > Module in sheet steel

Code	No.	Width mm	Depth mm	Height mm	Weight kg
1803069	1500 ED-70 XL	625	77	40	0,854
					1

2005 CT3-32 SOCKET ASSORTMENT 3/4"

in 3/4 check tool module, 14 pieces



Perfect set for hand-operated sockets and connecting parts with square drive

- > With Check-Tool insert for quick check of tool completeness
- Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool






Code	No.	Contents	Length mm	Width mm	Pieces	Weight kg
2752727	2005 CT3-32	Socket wrench insert 3/4" hexagon UD profile No. 32, SW 22 24 27 30 32 36 38 41 46 50	390	472	14	9
		Extension 3/4" No. 3290-8 -16 200 mm, 400 mm reversible ratchet 3/4" No. 3293 U-2, 510 mm, Cross handle 3/4" No. 3287				

2005 CT4-7 XL COMBINATION SPANNER SET

in 4/4 check tool module, 18 pieces



€**398,00**



Weight kg

8,15

Pieces

18

de	No.	Contents	Length mm	Width mm
04226	2005 CT4-7 XL	Combination spanner No. 7 XL, Size 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 36 41 mm	390	633


- n Piacos Woight k
- > Perfect set composition for gentle screw operation
- Combination spanner extra long for more torque
- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind.
- Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool

Cod

270

2005 CT4-8000 TOOL ASSORTMENT

in 4/4 check tool module, 13 pieces



Circlip pliers for external retaining rings No. 8000 A 1 2 21 Circlip pliers for internal retaining rings No. 8000 J 1 2 21

> Perfect set composition for universal use

- > With Check-Tool insert for quick check of tool completeness
- > Particularly suitable for work in sensitive areas where it must
- be ensured that no tools are left behind. > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool



No.	Contents	Length mm	Width mm
2005 CT4-8000	Engineers' hammer ROTBAND-PLUS No. 600 H-300 -500	390	633
	Recoilless hammer No. 248 ST-40		
	Universal pliers No. 142 10 JC, Bent nose pliers No. 8132-160 JC		
	Power side cutter No. 8316-160 JC, Power combination pliers No. 8250-180 JC		

2005 CT4-U-20 SOCKET SET 1/4"-3/8"-1/2"

in 4/4 check tool module, 91 pieces


Code

Code

No.

Contents

2016303



- > Perfect set composition for universal screwing cases
- > With Check-Tool insert for quick check of tool completeness

Weight kg

4,1

Pieces

13

- > Particularly suitable for work in sensitive areas where it must be ensured that no tools are left behind
- > Bottom layer blue, top layer black, blue indicates missing tool
- > Recessed grips facilitate the removal of the tool





Länge mm	Width mm	Pieces	Weight kg
390	633	91	7,64

2016257	2005 CT4-U-20	1/4" socket wrench insert No. 20, SW 5.5 6 7 8 9 10 11 12 13 14 mm 1/4" reversible ratchet No. 2093 U-20 1/4" cross-handle ratchet No. 2093 U-3 T 1/4" extension No. 2090-4 -6, 97 148 mm 1/4" universal joint No. 2095 3/8" socket wrench insert No. D 30, SW 8 9 10 11 12 13 14 15 16 17 18 19 21 22 mm 3/8" screwdriver bit socket No. IN 30 L, SW 4 5 6 7 8 10 3/8" screwdriver bit insert No. IX 30 L, T20 T25 T27 T30 T40 T45 T50 3/8" screwdriver bit socket No. IK3 30, L 2 3 3/8" screwdriver bit socket No. IKS 30, 1 2 3 3/8" screwdriver bit socket No. IS 30, SW 5.5 6.5 8 10 12 mm 3/8" screwdriver bit insert No. IS 30, SW 5.5 6.5 8 10 12 mm 3/8" spark plug insert with retaining spring 20.8 mm, 3/8" spark plug insert with retaining spring 16 mm 3/8" spark plug insert with retention spring 18 mm, 3/8" reversible ratchet No. 3093 U-20 3/8" extension with release no. 3090 A-5 -10, 3/8" universal joint No. 3095 1/2" socket wrench insert No. D 19, SW 10 11 12 13 14 15 16 17 18 19 21 22 23 24 27 30 32 mm 1/2" reversible ratchet 1/2" No. 1993 U-20. 1/2" extension 1/2" No. 1990-5 -10. 125 250 mm
		1/2" reversible ratchet 1/2" No. 1993 U-20, 1/2" extension 1/2" No. 1990-5 -10, 125 250 mm 1/2" reducer 1/2" to 3/8" No. 1930 1/2" universal joint 1/2" No. 1995, 1/2" articulated handle No. 1996, 255 mm

THE ORGANISING TALENT FOR ON THE MOVE

The GEDORE WorkMO B3 tool box module is the practical solution for tradesmen on tour or mobile service staff.

The robust, heavy-duty module is made from a lightweight aluminium-plastic mix and thus only weighs around 22 kg.

On the other hand, it has 2 drawers with full extension, suitable for GEDORE 1500 ES/1500 CT modules. These can each bear a load of 60 kg. Underneath the drawers is a compartment with locking device for GEDORE L-BOXX[®] 136 No. 1100 L and for GEDORE S-BOXX[®] No. 1110 WMSB 3. The WorkMo B3 is compatible with Sortimo[®] in-vehicle equipment and load securing and is also crash-tested.



PERFECTLY ORGANISED

 With two heavy-duty drawers for tool modules and a compartment for L-BOXXES, the WorkMo B3 offers plenty of space for orderly tool storage.



COMPACT

• With dimensions W 789 x D 396 x H 506 mm and a weight of 22 kg, the box module is ideal for use in a service vehicle.

3

LIGHTWEIGHT AND ROBUST

• The Box module from GEDORE is made from a lightweight but highly durable aluminium-plastic mix, up to 50% lighter than comparable solutions.



"As a mobile service worker, I rely on a system that allows me to keep my equipment tidy. The Box module from GEDORE is the perfect solution for my work."

TOOL BOX MODULE WORKMO W3

> 2 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
 > Compatible with Sortimo[®] interior vehicle fittings and load safety

- > Load capacity per drawer 60 kg



€439,00



Code	No.	Length mm	Depth mm	Width mm	Weight kg
2954354	1110 WM 321	790	505	385	22,12

1110 WMHP 3 WOOD PLATE FOR WORKMO B3

- > 20 mm thick multiplex beech wood worktop > To fit in the plastic top to get an additional work surface
- €129,00

Code	No.	Length mm	Depth mm	Width mm	Weight kg
2954370	1110 WMHP 3	835	45	425	4,5





Code	No.	Length mm	Depth mm	Width mm	Weight kg
2954443	1110 WMW-3	1.140	845	550	52,8

1110 WM 221 TOOL BOX MODULE WORKMO W2

2 drawers H6, compartment for L-BOXX®

- > 2 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
- > Compatible with Sortimo[®] interior vehicle fittings and load safety
- > Load capacity per drawer 30 kg





2954338 1110 WM 221 525 505 385 15,26	Code No. 2954338 1110 WM 22		Depth mm 505	Width mm 385	Weight kg 15,26
---	-----------------------------	--	-----------------	-----------------	--------------------

1110 WMHP 2 WOOD PLATE FOR WORKMOB2 E890, w b 20 nm thick multiplex beech wood worktop b 10 nm thick multiplex beech wood worktop

425

40



Weight kg	Width mm	Height mm	Length mm	No.	Code
8	612	144	493	1110 WMR 24	3002721

1110 WMW-2 TOOL TROLLEY WORKMO W2

2954362

1110 WMHP 2

575



Consisting of: No. 1110 WM 24, 1110 WM 221, 1110 WMR 23 and 1110 WMHP 2

4,5

- 6 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
- > Wooden worktop for assembly work
- Compatible with Sortimo[®] interior vehicle fittings and load safety

Weight kg 42,6

1100-1.04 UNIVERSAL PULLER SET in L-BOXX® 136, 13 pieces

- > With 2- and 3-arm cross-beam
- > With rigid and slim legs and extensions
- > Extra slim Pulling hooks for narrow installation spaces are included for self-installation
- > 12 different pullers can be combined



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
2838362	1100-1.04	Universal puller HIGH POWER No. 1.04/HP1A-B, 2-arm, 130x100 mm Cross-beam No. 107/1A03, 3-arm 180 mm Pulling leg No. 106/A-100-B, all-steel, leg brake 3x extension No. 106/A-100-VB with leg brake 100 mm 3x pulling leg No. 106/A-100-S, slim 100 mm 3x pulling leg No. 106/S101-S, without clamping part Spindle No. 1.1406200, 17 M14x1,5 200 mm + GEDORE L-BOXX* 136 No. 1100 L	357	442	151	13	6,3

1100-1.04/12A PULLER ASSORTMENT INSIDE/OUTSIDE in L-BOXX® 136, 7 pieces

- > Max. capacity 3 and 5 t
- > For clamping depths up to Ø 200 mm external, Ø 70-260 mm internal, and clamping reach up to 300 mm
- > Quick-release pulling legs with intregral T-profile for a better transmission of force
- 2 rigid extensions each 100 and 150 mm with leg brake for quick adjustment of the legs



Code	No.	Contents	Max. Span mm	Length mm	Width mm	Depth mm	Pieces	Weight kg
2927	241 1100- 1.04/12 <i>F</i>	Universal puller No. 1x 1.04/1A, 2-arm 130x100 mm Universal puller No. 1.04/2A 2-arm 200x150 mm Extension with hook brake no. 106/A-100-VB, 100 mm Extension with hook brake No. 106/B-150-VB, 150 mm Spindle No. 1.1406200 SW 17 M14x1,5 200 mm spindle No. 1.2106350KS, SW 22, G 1/2", 350 mm, with ball point + GEDORE L-BOXX® 136 No. 1100 L	200	357	442	151	7	9,6

1100-1.30 INTERNAL EXTRACTOR SET in L-BOXX® 136, 8-pieces

- > For inner diameter 12 35 mm
- > For extremely-tightly-packed ball bearings, bearing races, bushings, and shaft seals Simmering[®]
- > With slide hammer and counter support





Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
2836041	1100-1.30	Internal extractor No. 1.30/2.12-15 mm Internal extractor No. 1.30/3.15-19 mm Internal extractor No. 1.30/4.19-25 mm Internal extractor No. 1.30/4A, 25-30 mm Internal extractor No. 1.30/45, 30-35 mm Counter support No. 1.36/1 for 1.30/0 - 1.30/5 Sliding hammer No. 1.35/2, 500 mm, 1.7 kg + GEDORE L-BOXX® 136 No. 1100 L	357	442	151	8	7,2

1100-1.41/2A SEPARATOR AND PULLER SET

in L-BOXX® 136, 22 pieces



+ GEDORE L-BOXX[®] 136 No. 1100 L



Code	No.	Contents	Max. Span mm	Length mm	Width mm	Depth mm	Pieces	Weight kg
2927284	1100- 1.41/2A	Separator puller No. 1x 1.38/2, 70-215 mm Separator No. 1.40/2, 22-115 mm Set of threaded inserts No. 1.81/20, for 1 and 2-hole applications, M14x1.5 2x extension No. 1.38/CV M14x1.5	115	357	442	151	22	11,5

1101-1.29/1K **BALL BEARING** EXTRACTOR SET

in i-BOXX® 72, 25 pieces

€398,00



> Ball bearing extractor set for more than 30 ball bearings

- > For removing ball bearings that are both on a shaft and in a housing
- > Non-destructive removal of deep-groove ball bearings without dismantling the shaft; no necessity to drill open the bearing cage (no chippings)

Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces
2963485	1101- 1.29/1K	129/104 head, 129.106 Spindle SW 14, M10x1.5, 160 mm 129/304 head129.306 Spindle SW 17, M14x2.0, 210 mm 129/10 Pulling hook 1 pc. 140 mm (4x), 129/15 Pulling-off hook 1 pc. 140 mm (4x) 129/25 Pulling-off hook 1 pc. 170 mm (4x), 129/30 Pulling hook 1 pc. 178mm with 3 spacers (4x) 129/35 pull-off hook 1 pc. 178mm with 5 spacers (4x) 1.29/0 Plug-in handle burnished EI-1101 CT-1.29/3K Foam insert i-B0XX 72, empty1101 L GEDORE i-B0XX 72 empty	316	367	72	25



€399,00



- > In robust plastic case
- > Contents: 1 spindle, one traverse each 2- and

Weight kg

2,61

- 3-arm and 3 slim puller hooks each in 3 lengths
- > 2. spindle in case 1.07/K saves working time

Code	No.	Contents	Max. Usable clamping	Max. Span mm	Hook foot thickness	Pieces	Weight kg
coue	NU.	contents	depth mm	max. Span mm	mm	rieces	weight kg
8117340	1.07/K	106/2A03 Traverse 2-arm 260 mm 107/2A03 Cross beam 3-arm 260 mm 106/A-100-S Pull-off hook slim 100 mm (3x) 106/A-200-S Pull-off hook slim 200 mm (3x) 106/A-250-S Pull-off hook slim 250 mm (3x) E-1.1406140 Spindle SW 17, M14x1-5, 140 mm (2x) 107/1A99 Plastic case with foam inlay for 1.07/K	100 / 200 / 250 mm	130	3,7	13	5,8







- > Consisting of 5 pullers in different sizes with standard or quick-release pulling hook or all-steel hook with hook brake
- > Adjustment scale for uniform adjustment of the puller hooks
- > For clamping depths up to Ø 250 mm external, Ø 330 mm internal, and clamping reach up to 200 mm

Code	No.	Contents
2004569	1.06/ST1-B	1.06 / 11-B universal puller with hook brake, 1.06 / 1A1-B universal puller with hook brake 1.06 / 21-B universal puller with hook brake, 1.06 / 2A1-B universal puller with hook brake 1.06 / 31-B universal puller with hook brake, 1.06 / 97 Stand empty

2.20 TRUCK WORKSHOP SET

Add-on system

Code

1088718

No.

2.20

		٠									G	ED	0	RE	/			*						*	
					٠									R	h	K		K		N		4		A.	
		1	1		-						*		*	6	ď	6	B	Б	5	6	B	6	13	Ь	
8	+(6	0	\rightarrow				R	21	R	1	K	P)	-						-					
	H		-	1				g	H	H	H	H	ľ	4	þ.	4		1							
			Y		k		٠		-			*		1	2	1		1	2						
÷.			. 4		۳		*		-	*		-	-	1		-			P	4			Ņ.		
•		1	171	2	ŀ		*		-	1				1	2	-		E			-				
	×	*		٠			*								*	*		*	4						F
						*	*	*			å	-			*	*	*	*	*						
			0			*		Peter	der			-	10,		1	-	7	0			P	÷.			
•	2		Y						G	•	-		•		-		41			u	-			-	
		۰	- 4								12		-20	- 44		-			-	-		and the second second	10	æ	. 18

106/2A03 Traverse 2-arm 260 mm, 107/2A03 Traverse 3-arm 260 mm

1.06/HSP1 Grease hydraulic pressure spindle 10 t, 1.2106210 Spindle SW 22, G 1/2", 210 mm 106/B-150-N Pulling hook 150 mm (3x), 106/B-300-N Pulling hook 300 mm (3x) 106/S220 Pulling-off hook slim 220 mm (3x), 1.40/2 Cutting device 22-115 mm 1450 L Tool board empty, 987x493 mm, 1500 H 1 Tool hook slanted hook end d 4 mm

> Clearly arranged module system

- > Using this set, you will be able to assemble 12 of the usual versions with hydraulic spindle, in seconds
- > 2-armed cross beam with adjustment scale for even adjustment of the puller hooks. Allows centric and force-optimized pulling even with highest pulling forces
- > Everything at hand on perforated wall-board



Pieces	Weight kg
14	23,3

	1500 H 3 Tool clamp 44x23-29 mm, 82844 Tool clamp large base plate d 25 mm
2.50	
SET OF INT	
AND EXTE	RNAL EXTRACTORS

Contents



- > Suitable for various applications of external or internal extraction
- > Internal extractor for drill holes with Ø 5 55 mw. To be used with slide hammer or counter support
- > External pullers with various spans up to 130 mm for the most diverse pulling problems
- > Pulling and separating devices including extensions, ideal for pulling off tightly fitted or thin-walled parts for outside diameters 5 - 115 mm
- > Everything at hand on perforated wall-board




Code	No.	Contents	Pieces	Weight kg
2017040	2.50	1 internal extractor 5-8 mm, No. 1.30/0, 1 internal extractor 8-12 mm, No. 1.30/1	22	29
		1 internal extractor 12-15 mm, No. 1.30/2, 1 internal extractor 15-19 mm, No. 1.30/3		
		1 internal extractor 19-25 mm, No. 1.30/4, 1 internal extractor 25-30 mm, No. 1.30/4A		
		1 internal extractor 30-35 mm, No. 1.30/5, 1 internal extractor 35-45 mm, No. 1.30/6		
		1 internal extractor 45-55 mm, No. 1.30/7		
		1 sliding hammer 230 mm, 700 g, No. 1.35/1A, 1 sliding hammer 500 mm, 1,7 kg, No. 1.35/2		
		1 counter-support brace for 1.30/0 - 1.30/5, No. 1.36/1, 1 counter-support brace for 1.30/6 - 1.30/7, No. 1.36/2		
		1 universal puller HIGH POWER 2-arm pattern 130x100 mm, No. 1.04/HP1A		
		1 battery-terminal puller, 3-arm pattern 70x80 mm, No. 1.13/00		
		1 puller with extra slim legs 80x85 mm, No. 1.23/1S		
		1 separator puller 40-120 mm, No. 1.38/0, 1 separator puller 70-215 mm, No. 1.38/2		
		1 extension rod M10, No. 1.38/AV		
		1 extension rod M14x1.5, No. 1.38/CV		
		1 bearing separator 5-60 mm, No. 1.40/0		
		1 bearing separator 22-115 mm, No. 1.40/2		

ONE TOOL, THREE SIZES

With its slender hooks of different lengths, the two-arm puller has been specially designed for tight spaces.

With a clamping depth of up to 250 mm, this puller is particularly flexible in use. The maximum pulling force is 2.5 t. This makes the GEDORE puller particularly suitable for use in the automotive/ automotive sector. The spindle, with a thread size of M 14x1.5 x 140, has an operating hexagon of SW 17, which means that this puller can be operated with robust combination wrenches or with a ratchet and 17 mm insert. Due to the special coating, the spindle is maintenance-free. There is no contamination of the threads as with greased spindles. The very slim designed hooks allow the work on difficult to access places.



1.06/AS **PULLER-SET** with 6 legs



- > Particularly suitable for barely accessible places
- > Particularly suitable for hard-to-reach areas



Code	No.	Contents	Max. Usable clamping depth mm	Max. Span mm	Hook foot thickness mm	Total hook base depth mm	Pieces	Weight kg	
8001710	1.06/AS	106/1A03 Cross beam 2-arm 180 mm 106/A-100-S Pull-off hook slim 100 mm (2x) 106/A-200-S Pull-off hook slim 200 mm (2x) 106/A-250-S Pull-off hook slim 250 mm (2x)	100 / 200 / 250	130	3,7	13,5	8	3,4	

E-1.1406140 Spindle SW 17, M14x1.5, 140 mm

BLACK HOOKS

- The slim hooks are specially made for use in hard-to-reach places.
- 2 3

MAINTENANCE-FREE

• The special coating makes the spindle maintenance-free. There is no contamination of the threads as with greased spindles.

STRONG SPINDLE

• The spindle with the thread size M 14x1.5 x 140 has an actuating hexagon of SW 17.

THREE DIFFERENT SIZES

• The puller comes with 6 arms in three different lengths: 100 mm, 200 mm and 250 mm.

HIGH LOAD CAPACITY

• The puller has a maximum pulling force of 2.5 t.





"With its three different arm lengths, the puller is so flexible that it has become an extremely valuable tool for me in the workshop. What I find absolutely convincing about it is the top-class workmanship of GEDORE."

1.31/2 **INTERNAL** EXTRACTOR SET 10 pieces



- > Set of the most common internal extractors and counter supports for extracting ball bearings, rings, bushings, Simmerrings®, etc.
- > In robust sheet metal case



Code	No.	Contents
8014880	1.31/2	1.30/2 Internal extractor 12-15 mm, 1.30/3 Internal extractor 15-19 mm
		1.30/4 Internal extractors 19-25 mm, 1.30/4A Internal extractors 25-30 mm
		1.30/5 Internal extractors 30-35 mm, 1.30/6 Internal extractors 35-45 mm
		1.30/7 Internal extractor 45-55 mm, 1.30/8 Internal extractor 55-70 mm
		1.36/1 Counter support for 1.30/0 - 1.30/5, 1.36/2 Counter support for 1.30/6 - 1.30/7,
		131/299B Sheet metal box empty

Span inside pull-off min./max. 12-70

Pieces Weight kg 10 9,2

1.32/1 SET OF INTERNAL AND EXTERNAL EXTRACTORS 11 pieces





- This set is ideally suited for a variety of exterior and interior stripping situations
- Sets with internal extractors, counter supports, puller chucks, external extractors and stud extractors
- > In robust sheet metal case

Code	No.	Contents
8015260	1.32/1	1.30/2 Internal extractor 12-15 mm, 1.30/3 Internal extractor 15-19 mm
		1.30/4 Internal extractors 19-25 mm, 1.30/4A Internal extractors 25-30 mm
		1.30/5 Internal extractor 30-35 mm, 1.30/6 Internal extractor 35-45 mm
		1.36/1 Counter support for 1.30/0 - 1.30/5, 1.36/2 Counter support for 1.30/6 - 1.30/7
		1.19/0XS Puller 3-arm XS hook 50x70 mm, 1.12/02 Pole terminal puller 2-arm 60x40 mm
		1.06/1 Universal puller 2-arm 90x100 mm, 132/199B Sheet metal box empty

Pieces	Weight kg		
11	10,4		

1.26 NUT SPLITTER			1	 > For splitting jammed or stripped nuts without damaging the bolt thread > For nuts up to property class 6 > With chisel stopper 	
from	÷٤	49 <mark>90</mark> , .vx		Y	
Code	No.	for nuts of size	Spindle thread size	Width across flats mm	Weight kg excl. VAT

Code	No.	for nuts of size	Spindle thread size	Width across flats mm	Weight kg	excl. VAT
8009880	1.26/1	M6 - M10	M14x1,5	17	0,27	<i>49,90</i>
8009610	1.26/2	M10 - M16	M 14x1,5	17	0,3	51,90
8010030	1.26/3	M16 - M24	M 22x1,5	24	1,13	65,90

1.81/10 THREAD ADAPTOR SET

for 1- and 2-hole applications, 2 pieces each, 14 pieces



Contents



- The threaded inserts make the removal of threaded caps, for example, possible, when these possess 1 or 2 threaded holes
- > No. 1.81/10: For puller No. 1.38/0, 1.38/1
- Can be used either with puller 1.38, slide hammer 1.35 or counter support 1.36

contents
2 Thread inserts M14x1,5 - M8, No. 181/207, 2 Thread inserts M14x1,5 - M10, No. 181/208
2 Thread inserts M14x1,5 - M12, No. 181/209, 2 Thread inserts M14x1,5 - M14, No. 181/210
2 Thread inserts M14x1,5 - M16, No. 181/211, 2 Thread inserts M14x1,5 - M18, No. 181/212, 2 Adaptors, No. 181/225

Code

1120735

No.

1.81/10



- > The threaded inserts make the removal of threaded caps, for example, possible, when these possess one threaded hole
 > Can be used either with slide hammer
- 1.35 or optionally with counter support 1.36

Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
1936549	1.81/K-1	Slide hammer 1.35/1 Rod 230 mm Impact weight 200 g M10 - M4, M10 - M5, M10 - M6 M10 - M8, M10 - M10, M10 - M12	270	230	84	7	1

1.41/1 SEPARATOR AND PULLER SET

- For Ø 12-75 mm all in one, separator extractor extensions in handy case to take with you
- > Optimal for tightly mounted/ abutting parts
- Additional extensions 1.38/CV optionally available



Code	NO.	Contents
8109830	1.41/1	1.38/1 Extractor 60-165 mm
		1.38/AV Extension M10 (pair)
		1.40/1 Separating device 12-75 mm, 141/099B Sheet metal box empty


Weight kg 5,2

DOSED BLOWS WITH SENSITIVITY

The 248 ST soft-face hammer works without recoil and with gentle polyamide heads.

de heads, tested to -20° C, no scratches or damage occur when striking metal components or softer materials. Head and handle are powder-coated with hammer impact silver.

Gentle hammers are significantly important when aligning machines or workpieces. The GEDORE 248 ST is equipped with an extremely sturdy tubular steel handle and also works without recoil. Thanks to the splinter-free polyami-



PROTECTIVE HEADS

• The two protective heads are made of shatterproof as well as break- and wear-resistant polyamide and tested at -20° C.

STURDY HANDLE

• The tubular steel handle is powder-coated with hammered silver and indestructible.

RECOILLESS

• With its recoilless function, working with the hammer is gentle on joints and tendons.

FITS COMFORTABLY IN THE HAND • The ergonomic rubber handle fits securely in the

hand and ensures comfortable handling.



"The hammer is indestructible with its tubular steel handle. The rubber grip lies well in the hand and allows a sensitive work."

248 ST RECOILLESS HAMMER

- Recoilless soft-face hammer with polyamide heads, ideal for everyday use on construction sites, in industry, in workshops and around the house.
- > Protects tendons and joints thanks to filling of the hammer head with small steel balls
- Gentle on surfaces due to full impact on sensitive workpieces, replaceable splinter-free heads made of break- and wear-resistant polyamide 75 Shore, tested to -20 degrees Celsius
- > With very robust and durable steel tube handle



Code	No.	Ø	Length mm	Weight kg	excl. VAT
8724070	248 ST-25	25	265	0,44	25,90
8828950	248 ST-30	30	290	0,6	27,50
8829090	248 ST-35	35	295	0,7	28,90
8829170	248 ST-40	40	300	0,8	32,90
8829410	248 ST-45	45	305	0,95	35,90
8829250	248 ST-50	50	310	1,005	38,90

RECOILLESS

YOUR ADVANTAGE

- Due to the special filling insert in the hammer head a considerably higher impact is made compared to standard engineers' and recoilless hammers
- Universal use for service and assembly work, with all the advantages of a recoilless hammer with higher impact
- "Dead blows" with no recoil reduce stress on muscles, nerves and wrists
- Recoilless hammers protect sensitive surfaces
- Each blow is more effective than standard safety hammers
- Exchangeable inserts, resistant to breakage or wear, made of modified polyamide

FUNCTION

- The hollow hammer head is filled with steel shot. Small steel balls with a high carbon content.
- Workpiece "adhesion" and a "fully-felt" strike come from the practically 100% pulse transfer onto the workpiece.
- The impact (colloquial term for pulse) results principally from the kinetic energy of the fine-grained steel shot.
- The hammer head mass is slight compared to steel shot.
- That is why the counter pulse triggered by the hammer head is not felt.
- Bouncing blows are avoided.
- Goes easy on one's joints and tendons.



600 H **ENGINEER'S HAMMER ROTBAND-PLUS - THE ORIGINAL**



GEDOREF ROTANOFIUS

>	For	universal	use in	the	workshop,	on the

- construction site, in the industrial sector or at home > Locksmith's hammer with proven safety technology
- > Hardened and tempered steel hammer head
- and hardened and tempered steel handle sleeve **ROTBAND-Plus**
- > Hammer head hot drop forged, DIN 1041
- > Double-curved, durable hickory handle, DIN 5111

Code	No.	Head weight g	Stick length mm	Length mm	Weight kg	excl. VAT
8583070	600 H-300	300	305	305	0,502	17,90
8583230	600 H-500	500	320	320	0,727	19,90
8583580	600 H-800	800	350	355	1,135	23,90
8583660	600 H-1000	1000	360	370	1,326	<i>28,90</i>

609 H-5-90 **SLEDGE HAMMER ROTBAND-PLUS - THE ORIGINAL**

> High-quality sledgehammer for everyday use on construction sites, in the garden and in workshops, ideal for professional work and the do-it-yourselfer

- > ROTBAND-PLUS System: Secure connection between handle and hammer head by means of fixing elements, protection against damage due to missed blows thanks to steel handle protection sleeve
- > Handle made of USA hickory wood: More safety in case of handle breakage due to the long-fibre structure of the wood, vibration-damping and breakage-resistant wood properties
- > Annealed forged hammer head according to DIN 1042, High safety and long service life due to materials used

Code <i>8673730</i>	No. 609 H-5-90	Head weight g 5000		Length mm 910					Weight kg 6,22	
		BAND-P ginal - A secure								
safet • More • Incre • Abso even • Stan	ty and longer s e than five tim eased bending plutely firm cor a after 1,000 fa	es the tightening force with strength compared to conv nection between head and ilures AND-PLUS replacement sh	h ROTBAND-PLUS ventional DIN hammers d handle	6000 N (600 kg)	30000 N (3000 kg)	N 3000 6000 9000 12000 12000 12000 12000 12000 21000 24000 30000	Bending streng	Ŷ	N-m 50 50 100 150 200 250 300 350 400	

€69,90

optimising DIN hammers

90



THE PERFECT INITIAL EQUIPMENT

(clejojojaje).

7-way adjustable, extra narrow pliers jaws - the GEDORE water pump pliers 145 10 JC are impressive with its flexibility and high-quality workmanship.

The slim design is made possible by the attached joint which, with its toothed recess, opens up the variable adjustment possibilities and, with its self-clamping properties, provides particular support when gripping pipes and nuts. Made of chrome vanadium special steel and inductively hardened at crucial points (jaws, teeth), these pliers are an indestructible helper even in demanding use in trade and industry. The ergonomic 2-component handles make the pliers easy to handle and protect tendons and joints, especially during prolonged use.

145 10 JC WATER PUMP PLIERS

- > Acc. to DIN ISO 8976 Form A
- > Lay-on slip joint and toothed recess
- > Induction-hardened serrated faces,
- with protection against blocking
- > Clamps automatically on pipes and nuts
- > GEDORE special chrome-vanadium steel, chrome-plated

NEW

- > Version JC = with 2-component handles
- > 7-way adjustable, with extra narrow jaws



Code	No.	Clamping reach mm	Length mm	Weight kg
6415610	145 10 JC	39	260	0,425

BEST PROCESSING

 The pliers are forged from chrome-vanadium special steel and chrome-plated. The teeth are additionally inductively hardened.

2

ERGONOMIC HANDLES

 The ergonomic 2-component handles lie securely in the hand and ensure pleasant pleasant handling, even over a longer longer period of time.



SLIM DESIGN

• The mounted joint and the flat jaws jaws allow for an extremely slim, compact design of the pliers.

ROARS AND NUTS SAFELY UNDER CONTROL

"The GEDORE water pump pliers 145 10 JC is particularly convincing their slim and flat design. design. This also makes it possible to nuts and pipes can be gripped when there is where space is at a premium."











 Code
 No.
 Total length mm

 6722110
 8133-180 JC
 180

> Multifunctional pliers for the mechanical and electronic fields

- Suitable for holding, bending, cutting, stripping, crimping and squeezing different materials
- > For medium-hard wire 1.6 mm
- > Fatigue-free work in continuous use thanks to the ergonomic 2-component handle
- Additional induction hardened precision cutting edges, cutting edge hardness 62-64 HRC
- > GEDORE special hardened and tempered steel, drop-forged, oil-hardened and annealed
- > For stripping cables from 0.5 to 2.5 mm²
- Cutting edge additionally inductively hardened
 JC = chrome-plated, with 2-component
- handle covers
- > TL = steel-grey, with blue dipped non-slip handles



Weight kg 0,18


100 1.1/2 ELBOW PIPE WRENCH ECK-SCHWEDE-SNAP® -THE SWEDISH

- > Classic and proven S-mouth pipe wrench for universal use on pipes, nuts and fittings
- Gripping capacity 60 mm/2.3/8"
- > Self-clamping gripping on round and angular workpieces, pipes and nuts
- > Stepless adjustment due to captive roller
- > Good accessibility due to slim jaws
- > Additional induction hardened teeth with 61 HRC
- > According to DIN ISO 5234, form C



€69,90





183 PLIER WRENCH

metric and imperial (0-52 mm and 0-2" respectively) > Can be used as a "ratchet open-end wrench" - fast and convenient tightening and loosening of hexagonal bolts and nuts > Gentle assembly of surface-sensitive screw connections (e.g. chrome-plated fittings) due to the special protective jaws included in delivery > Sliding mechanism may be activated from almost any setting > Sliding mechanism and paralleled jaws for quick and easy adjustment, practically stepless > Optimum ergonomic adjustment of the hand position to the size of the jaw or spanner opening > DIN ISO 5743 > Version TC= chrome-plated, with blue dipped anti-slip handles > Version JC= chrome-plated, with 2-component handles > 4 jaws included €39,90 from

Code	No.	Size	Clamping reach mm	Length mm	Weight kg	exkl. MwSt
3112438	SB 183 7 TC S-001	7	42	190	0,265	39,90
3112268	SB 183 10 JC S-002	10	52	265	0,575	49,90

8340 Z-200 JL BOLT CUTTERS



- Compact power bolt cutter with particularly high cutting performance
- > Low effort due to optimized lever ratio
- Double-sided milling with additional cutting edge, in the area close to the joint, ensures the best leverage ratios for large wire diameters

> Adjustable, universal tool for wrenching work, bending,

> Can replace two complete sets of open-end wrenches,

holding, pressing and gripping

- > The additional cutting edge serves as a pre-cutter for thick bolts and notches them very deeply
- In the second work step, the front main cutting edge cuts through the bolt completely
- > Cutting edges additionally inductively hardened (63 65 HRC)
- > Precision cutting for soft wire up to Ø 6.0 mm, hard wire up to Ø 5.5 mm and piano wire up to Ø 3.8 mm
- > Version JL = steel grey, with 2-component handles

Code	No.	Total length mm	Weight kg
2666324	8340 Z-200 JL	215	0,389

GRIP TRIO

1

Three essential pliers in one set -Perfect for first-time users!

Universal pliers, flat-round pliers and side cutters - three all-rounders that belong in every toolbox, housed in the practical L-BOXX. The universal pliers 142 10 TL have a fine adjustment by push button. The narrow pliers head is especially suitable for working in hard-to-reach places. The flat round nose pliers 8132-200 JC and the power side cutter 8314-180 JC complete the set. Both feature an ergonomic 2K handle and induction hardened precision cutting edges.

PRECISE CUTTING IN TOP QUALITY

- The cutting edges of the side cutter and the flat round nose pliers are induction hardened.
- 2

INNOVATIVE DESIGN

 The 142 10 TL universal pliers feature a quick-action push-button adjustment with 15 setting positions, a pinch guard and a narrow pliers head for hard-to-reach places. The teeth are induction hardened.

3

ERGONOMIC HANDLES

 The ergonomic 2K handles on the side cutter and needle-nose pliers are made for lasting comfort.



"With this Top quality pliers set. The tools are not only very good in the hand, they are also precision worked cutting edges. Just the best quality!"





2-component handle

<complex-block>

Code *1708155*

No.

1101-002

Contents

Wire stripper No. 8098-160 JC, 160 mm, 2-component handle Flat nose pliers No. 8120-160 JC, 160 mm, 2-component handle Round nose pliers No. 8122-160 JC, 160 mm, 2-component handle Flat nose pliers No. 8132-160 JC, 160 mm, 2-component handle Power combination pliers No. 8250-180 JC, 180 mm, 2-component handle Power side cutter No. 8316-180 JC, 180 mm, 2-component handle
 Pieces
 Weight kg

 6
 1,74



VERSATILE AND PRACTICAL

S 8008 SET OF CIRCLIP PLIERS 8 pieces

- > Practical set composition in environmentally-friendly cardboard box
- > Particularly suitable for hard-to-reach areas
- > For internal and external retaining rings
- > With straight and 90° angled tips





Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
6700490	S 8008	8000 A 1 11 2 21	315	156	30	8	1,082
		8000 J 1 11 2 21					

THE INSULATED ALL-ROUND CAREFREE PACKAGE

The intelligent set, tuned for hybrid and electric mobility manufacturing and repair.

The perfect set, perfectly housed. The hand tools for repair and maintenance work on hybrid and electric vehicles from all manufacturers, stowed in the GEDORE L-BOXX[®] 136, compatible with the Sortimo® in-vehicle equipment in your service van, leaves nothing to be desired. The set represents an ideal initial equipment, but also a very good addition to existing equipment. The VDE HYBRID tool set from GEDORE includes, among other things, the 3/8" VDE reversible ratchet with VDE sockets SW 6 - 22 and numerous accessories, a VDE pliers set and a large VDE screwdriver set, as well as special tools. All tools are insulated according to EN 60900/EC 60900, i.e. tested up to 1000 V AC.



SMARTLY PUT TOGETHER

- The VDE HYBRID tool assortment includes hand tools specially tailored to work in electric mobility.
- 2

WELL PROTECTED

- All tools are protective insulated according to EN 60900/EC 60900, i.e. tested up to 1000 V AC.
- 3





• The GEDORE VDE reversible ratchet in 3/8" ensures a secure hold of the slip-on tools thanks to the push-button lock and offers insulation up to 1000 V.



"A really convincing and thoughtful set for the electrician or mechanic on E-cars. There is everything in it, in the best quality"

1100-1094 VDE TOOL ASSORTMENT HYBRID

53 pieces

- > The perfect range of tools for repair and maintenance work on hybrid and electric vehicles
- Suitable for vehicles of all manufacturers
 All tools insulated according to EN 60900/
- EC 60900 > GEDORE L-BOXX® 136 compatible with the Sortimo® in-vehicle equipment in your service mobile



+ GEDORE L-BOXX®







C 1		· · ·	1 1	147 141		D'	
Code	No.	Contents	Length	Width	Height	Pieces	Weight kg
			mm	mm	mm		
2979063	1100-1094	3/8" VDE socket No. VDE 30,	443	360	155	53	8,28
		SW 6 8 9 10 11 12 13 14 15 16 17 18 19 20 22 mm					
		3/8" VDE screwdriver bit No. VDE INX 30, SW 8 10 12 mm					
		3/8" VDE extension No. VDE 3090 -3 -6, 75 150 mm					
		3/8" VDE reversible ratchet No. VDE 3093 U					
		VDE Screwdriver, slotted No. VDE 2170, 2.5 3.5 4 5.5 mm					
		VDE Screwdriver cross recess No. VDE 2160 PH 1 2 3					
		VDE Screwdriver TX No. VDE 2163 TX T20 T25 T30					
		VDE Cable shears No. VDE 8094, 200 mm					
		VDE Universal pliers No. VDE 146 10, 10"					
		VDE Power combination pliers No. VDE 8250-200 H, 200 mm					
		2K-handle VDE Power side cutters No. VDE 8314-180 H, 180 mm					
		VDE Flat nose pliers No. VDE 8132 AB-200 JC, 200 mm angled					
		2C-handle VDE Flat nose pliers No. VDE 8120-160 H, 160 mm					
		2K-handle VDE cable knife No. VDE 4522, 180 mm					
		Counter grommet No. V 914, size 1 2 3					
		Counter gronninet no. v 214, size 1 2 3					

WELL EQUIPPED FOR LIVE WORKING

The perfect tool set for electricians, fitters or caretakers.

Compiled in a practical way, the tool case, equipped with 87 tools, contains the right equipment for mobile use on site. Conveniently housed in solid compartments, it contains hand tools ranging from spanners to VDE screwdrivers in slim drive

design and VDE pliers to hammers, chisels and special tools for the modern electrician. The tools are made of chrome vanadium steel. The VDE insulation is tested up to 1000 V and designed for live working. In addition to the two-pole voltage tester, a special highlight is the GEDORE pliers wrench. Infinitely adjustable, the pliers wrench with its

3

many functions is a true all-rounder! Also included is a professional 40-piece 1/4" socket wrench set. For the more demanding requirements in the commercial sector, the hard case is made of impact-resistant plastic and has an aluminium frame. Three hinges and integrated locks ensure tools are securely under lock and key. The screwed handle bar ensures safe transport of the fully equipped case.







TOP-MATERIAL

• The tools are forged from high quality chrome vanadium steel and partially matt chrome-plated.

TOP EQUIPMENT

• The tool set contains all hand tools for the modern electrician on the road, but also for janitors and other industries.

SAFELY INSULATED

• The VDE tools are tested up to 1000 V and are therefore suitable for live working.

SAFELY STORED

• The hard case is made of impact-resistant plastic and also has an aluminum frame and three hinges. The locks are integrated into the screwed handlebar.



"The tool case ELEKTRIKER offers strong tools in an indestructible case. For the assembly on the road a top equipment!"

1090 **TOOL CASE ELECTRICIAN**

> The perfect tool set for the electrician or property manager
 > In a sturdy hard case made of impact-resistant ABS plastic
 > GEDORE vanadium tools, chrome-plated



6,3 1/4″ <mark>m</mark>m

Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
6601590	1090	Double open-end spanner No. 6 14x17 18x19 21x23 22x24 Double open end spanner set 11 pcs No. 8-011 4,5-13mm Socket spanner set 1/4" 40pcs No. D 20 TMU-10 UD-IN-IS-PH-PZ-TX Offset screwdriver set in holder 10pcs No. H 42-10 1.3-10mm Pilers spanner 10" 183 10 TC Universal pliers 10" 142 10 TL VDE Screwdriver SLIM DRIVE Cross-recess PZ 1 VDE 2162 PZ 1 VDE Screwdriver SLIM DRIVE Cross-recess PZ 2 VDE 2162 PZ 2 VDE Screwdriver SLIM DRIVE Cross-recess PH 1 VDE 2162 PH 1 VDE Screwdriver SLIM DRIVE Cross-recess PH 2 VDE 2162 PH 2 VDE Screwdriver SLIM DRIVE slotted 3.5mm VDE 2172 3.5 VDE Screwdriver SLIM DRIVE slotted 4.5mm VDE 2172 4.0 VDE-Screwdriver SLIM DRIVE slotted 5.5mm VDE 2172 5.5 VDE Screwdriver SLIM DRIVE slotted 5.5mm VDE 2172 6.5 Hobby saw 406 Carbide scriber 746 Cable knife 4528 Steel tape measure 3 m 4534-3 Voltage tester 2-pole 1000V LED display VDE 4616 VDE Stripping pliers 160mm VDE 8098-160 H VDE Power combination pliers 180mm VDE 8250-180 H VDE Power side cutters 200 mm VDE 831 AB-200 H VDE Power side cutters 200 mm VDE 8316-200 H Flat chisel flat oval 95-175 ROTBAND-PLUS fitter's hammer with hickory handle, 300 g 600 H-300 Switch cabinet spanner Universal 45 S Volume tool case empty WK 1041 L	370	480	180	87	13,155



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
1828045	1101-003 VDE	VDE 8132-200 H, VDE 8250-180 H, VDE 8314-160 H VDE 2170 4 55, VDE 2160 PH 1 2, 4615 3	316	367	72	8	2,3

VDE 4508 VDE TORQUE WRENCH 5-25 N·m - 10-50 N·m





- Perfect for electronics technicians, electricians, control cabinet construction, line clamping (skilled worker electrician)
- > Proven release system from the Torcofix series generates a tactile and audible release signal
- > Scale with N·m graduation, values can be set to an accuracy of 0.25 N·m
- Classified according to DIN EN ISO 6789-2:2017 Type II Class A, incl. traceable test certificate, calibrated to a maximum permissible deviation of +/- 3 % and thus more precise than the +/- 4 % required by the standard
- Recalibration and adjustment without destroying the insulation
- > Fine toothed ratchet with square drive as per DIN 3120, ISO 1174
- > Safety button to protect against accidental release of the insert
- > Large controls allow adjustment and operation with gloves, ergonomic, durable
- > VDE insulation up to 1000 V, acc. to EN 60900/IEC 60900








Code	No.	Туре	Square drive inch	Square drive metric mm	N∙m	Nonius	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg	exkl. MwSt
3125335	VDE 4508-02	Reversible ratchet	3/8"	10	5-25	1	75	24	319	50,0	62	0,714	399,00
3079066	VDE 4508-05	Reversible ratchet	1/2"	12,5	10-50	2,5	80	24	369	48,0	62	0,825	429,00







Code 1552082

No.

Length mm VDE 8099-160 H 167

Jaw length mm 11

Head width mm 28.0

Head thickness mm 46,0

Cable cross-section mm² 0,5-5,0

Weight kg 0,211

VDE 8092 **VDE CABLE SHEARS**





- > For cutting multi-core copper and aluminium cables up to max. 50 mm² or up to a Ø of 10 mm
- > Handles with VDE insulating sleeves up to 1000 V, acc. to EN 60900/IEC 60900
- > Precision ground for optimum action,
- new cutting-edge geometryNot suitable for steel wire and hard-drawn copper conductors > Hardness 55 HRC
- > Special hardened and tempered steel, forged, ground, with dipped handle protection

Code	No.	Cable cross section mm	² Wire/cable diameter	Total length mm	Total length inch	Weight kg	
3412407	VDE 8092-160 H	50	10	169	6 2/3"	0,21	
VDF 8	250-180	Н			> Individually to	ested	
					> For heavy con	tinuous use	
VDEI	HEAVY	JUTY				tion for easy cutting	
COME	BINATIO	N PLIERS,	_		> For round and		
)E insulating				> Extra long bla		
vvicii v E		goiceveo		E 22 ,	hardness 62 -	dened precision cutting edges,	
						pes including piano wire, 1.6 mm	
					> Serrated grip		
			VDE 8250	- 180 H	> Inserted joint		
		1000	VDE OLO	The second se		performance with guaranteed	
					35% less effo		
		OR OCT				ated up to 1000 V, according to 60900, 2-component handle	
-9.9.0					protection sle		
						al hardened and tempered steel,	
			A 1000	V 13		pil-hardened and annealed,	
					chrome-plate	d	
						A 1000 ∨ €	
Code	No.	Length mm	law length mm Head	width mm Tip width	n mm Head thickn	ess mm Weight kg	
1550950	VDE 8250-180 H	190	38,5 25,6	6,5	11,0	0,288	
VDE 8	314-180 H	1			> With slim hea	d, ideal for tight spaces for	
VDE I	POWER	SIDE CUT	rer 🗾			ım-hard wire 1.6 mm and	
)E insulating			E 25 ⁹⁰	copper/plasti		
		9 5.0000		 , + vat		. 13 mm/5x2.5 mm ² e up to 16 mm ² /AWG5	
						omfortable work under tension	
						omic 2K handles	
			VDE 8314 -	180 H		dened precision cutting edges,	
						hardness 63-65 HRC	
Û	16 80					al hardened and tempered steel,	
Û	8314-180 GEDORE				chrome-plate	d ulation up to 1000V AC	
L L	₩ 8					DIN EN/IEC 60901	
		0.012 1/	CONTRACT AND		according to 1		
			\$ 1000	15			
Code	No.	Length mm	Jaw length mm	Jaw width mm	Head thickness mm Ø	Weight kg	
2910950	VDE 8314-180 H	185	25	26,0	11,0 mm 1,	6 0,297	

8150 CRIMPMAX-360 PROFESSIONAL CRIMPING PLIERS



> Lightweight, handy crimping pliers, can be operated with minimal hand

NEW


NEW

- force and used in hard-to-reach places
 360° crimping work area rotatable in 45° increments
- > 4-sided precision crimp over the entire sleeve length, crimping according to DIN 46228 EN50027
- For ferrules with and without insulating collar up to a length of 18 mm and a cross-section of 0.08 to 16.0 mm² and twin ferrules from 2x 0.25 to 2x 10.0 mm² in only one tool.
- > With automatic cross section adjustment
- > Unlockable ratchet for securing the complete crimping process
- Manufactured with high precision and optimally adjusted at the factory, therefore no further adjustment of the crimp force is required
- > Comfortable handling due to soft hand grips with formed slip guard
- > Made of high-strength special steel, stressed parts specially hardened and tempered

Code	No.	Capacity mm ²	AWG	Total length	Total width	Weight kg
				mm	mm	
3416437	8150	0,08-16	26-8	193	62	0,45

8151 CRIMPMAX-FLEX PROFESSIONAL CRIMPING PLIERS





- Flexible tool system, consisting of basic tool and crimp die sets, which can be exchanged quickly and without tools
- > Up to 4 different crimp profiles possible with only one insert set
- > For crimping cables with conductor cross-sections up to 16 mm².
- > Due to flexible interchangeable system
- > Ergonomic soft grips with slip guard
- > Unlockable positive lock secures the complete crimp
- Manufactured with high precision and optimally adjusted at the factory, therefore no further adjustment of the crimp force is required
- Made of high-strength special steel, stressed parts specially hardened and tempered

Code	No.	Applications	Capacity mm ²	AWG	Total length mm	Total width mm	Weight kg
3416445	8151	Wire end ferrules insulated DIN cable lugs uninsulated cable lugs	0,14-10 0,5-6 0,1-10	26-8 20-10 26-8	220	80	0,51



8159 STRIPPMAX-ROUND PROFESSIONAL STRIPPING TOOL

GEDOREP



- > For convenient stripping of all common round and damp room cables with a diameter of 6.0 - 13.0 mm (e.g. NYM cable 3 x 1.5 mm² to 5 x 2.5 mm²).
- > Automatically regulated cutting depth
- Rounded, space-saving tool head adapts perfectly to modern can geometry. Thanks to the extended design, even better access is possible for stripping even in deeper cavity wall boxes and in hard-to-reach places.
- Thanks to the blade arrangement, no clogging of the galvanized blades by sheath residues possible
- > Length stop integrated in the housing for possible small series or for assembling cables with the same set-off dimensions

Code	No.	Length mm	Cable cross-section mm ²	Weight kg
3416461	8159	140	6-13	0,048

€**12**,90

VDE 2170-2160 PH-077 VDE SCREWDRIVER SET

7 pieces

- VDE Screwdriver for slotted screws 2.5 4 5.5 6.5, VDE Screwdriver for cross-slotted screws PH 0 1 2
- > Type of drive and size marked at end of the handle
- Protective insulation up to 1000V AC according to DIN EN/IEC 60900, fully insulated blade
- > Ergonomic handle shape for precise, fatigue-free work
- Positive connection of handle and blade for optimum power transmission
- > Blade made of molybdenum-vanadium steel, tempered





Pieces	Weight kg
7	0,575







Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
1939068	8553	Cross handle ratchet 2093 U-3 T, Offset screwdriver 2 mm Extension 1/4"., Die holder Clamping head tap holder, Grub screw M4x6 Washer, Guide disk M3 M4 M5 M6 Die M3 M4 M5 M6, Tap M3 M4 M5 M6	275	150	42	19	0,51

€189,00

361-140 > For round screw connections > Strong and non-slip fabric tape **STRAP WRENCH** for optimum grip > Body chrome-plated > Replacement fabric tape E-36-1-140 €22,*** for Ø mm for Ø inch Tape width mm Weight kg Code No. Total length mm 6327320 36 1-140 140 5.1/2" 220 25 0,278

640-500 MAGNETIC LIFTER



For picking up and holding small magnetic parts
 Easy handling due to flexible shaft

> For picking up components in hard to reach places



112

Code

3065391

No.

Length mm

395

Depth mm 200

Width mm

490

GEDORE

Weight kg 6,2

€179,00

1000 **TOOL CASE** TOURING

49 pieces

> The perfect assortment for most problems

> In a handy plastic case > GEDORE vanadium tools, chrome-plated







Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
6600780	1000	Combination wrench No. 7 SW 6 7 8 10 11 12 13 14 15 17 19 mm 1/2" socket wrench insert 6kt No. 19, SW 10 11 12 13 14 15 17 19 22 mm Extension 1/2" No. 1990-5 -10, 125 250 mm Cardan joint 1/2" No. 1995, 73,5 mm reversible ratchet 1/2" No. 1993 U-20, 270 mm Offset screwdriver set No. PH 42-88, 2-10 mm in holder 8 pcs 3C-Screwdriver slot No. 2150, 4 5.5 6.5 mm, 3C-Screwdriver Cross-recess No. 2160 PH 1 2 Voltage tester 220-250 V, slot no. 4615 3, 3 mm Cable knife No. 0513-09, 195 mm, Universal Pliers No. 142 10 TL, 10". Power side cutter No. 8316-160 JC, 160 mm 2C handle Multiple Pliers No. 8133-180 JC, 180 mm 2C-Handle Engineer's hammer ROTBAND-PLUS No. 600 H-300, 300 g Percussion tool set No. 106, 6-piece in PVC holder No. 106, + Case WK 1000 L	435	385	100	49	7

1100-01 **MECHANIC TOOL** ASSORTMENT 58 pieces





- > Especially suitable for professions in electrical engineering
- > A practical assortment for on-site use > With Check-Tool insert for quick check of
- tool completeness > GEDORE L-BOXX[®] 136 with Easy Click connection system

€439,00



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
2658194	1100-01	 1/2" reversible ratchet No. 1993 U-20 1/2" extension no. 1990-10, 250 mm, 1/2" universal joint No. 1995 1/2" socket wrench insert No. 19, SW 10 11 12 13 14 15 16 17 18 19 21 22 24 mm Adjustable open-end wrench No. 60 CP 8, 8". Universal Pliers No. 142 10 JC, 10". 2-component handle power side cutter No. 8316-160 JC, 160 mm 2C-Handle Multiple Pliers No. 8133-180 JC, 180 mm, 2C handle engineer's hammer No. 600 H-500, 500 g Bricklayer's chisel No. 110-256, 250x16 mm Control cabinet key UNIVERSAL No. 45 S, for control cabinets and locks Miniature LED light No. TFK 649, Hinged base No. E-649 F for LED light No. TFK 649 Cable knife No. 0063-08, blade L. 80 mm Offset screwdriver set No. H2-10, hexagon SW 1.3 1.5 2 2.5 3 4 5 6 8 10 mm Offset screwdriver set No. VDE 2170-2160 PH-077 Slot 2.5 4 5.5, cross recess PH 0 1 2 Voltage Detector Slot No. 4615 3, 220-250 V, 3mm, Wooden folding rule No. 4533-2, 2 m Warding file set no. 8728, flat file, triangular, square, half-round, round file + GEDORE L-BOXX* 136 No. 1100 L 	443	360	155	58	9,5

WT 1056 1 HEAVY-DUTY BELT with cushioning


> Fits waist size from 80 to 120 cm (32"-48")
> Strongly cushioned for maximum comfort

> Made from leather



Code	No.	Width mm	Height mm	Max. load capacity kg	Weight kg
1818147	WT 1056 3	210	320	4	0,184





WT 1056 7 HEAVY-DUTY BELT SET

> Heavily padded belt for superior comfort when fully loaded

> Fits waist size from 80 to 120 cm (32"-48")

> Leather basic belt



Code	No.	Length mm	Width mm	Max. load capacity kg	Weight kg
1818198	WT 1056 7	1.330	330	12	1,106

WT 1056 8 **DUO POUCH**



- Leather pocket for knives2 large storage compartments
- €25,40

Code	No.	Width mm	Height mm	Max. load capacity kg	Weight kg
1818201	WT 1056 8	240	280	3	0,348

2180 PIPE CUTTER		
	niro inox GEDOREP in	from €49,90 ,

- > Pipe cutter suitable for stainless steel pipes
- > Easy cutting due to ball-bearing pressure rollers and cutting wheels
- > Cutting wheel changeable without tools
- > With retractable deburring tool
- > Cutting wheel with high service life
- No. 2180 3 and 2180 4 Body in die-cast magnesium, No. 2180 5 Body in die-cast aluminium
- > No. 2180 5 with quick adjustment

Code	No.	Pipe Ø (min./ max.) mm	Wall thickness (min./max.)	Overall length mm	Weight kg	excl. VAT
2964066	2180 3	3-35	0,7-2,5	160	0,365	<i>49,90</i>
2964074	2180 4	3-45	0,7-2,5	180	0,39	64,90
2964082	2180 5	6-76	0,7-2,5	245	0,94	86,90

226100 SHEAR SET FOR PLASTIC PIPES

- Enables clean and angular cutting of hard and soft plastic pipes, rubber hoses with or without textile fabric as well as various plastic profiles such as cable ducts.
- Contains 2 form blocks for 16, 19 and 25 mm pipes, 1 prism for profiles and 1 angle stop adjustable up to 45°

€42,50

> Delivery in plastic case



Code	No.	Length mm	Width mm	Depth mm	Weight kg
<i>1637983</i>	226100	320	255	60	1,05



231000 MINIATURE PIPE CUTTER MINI-QUICK

- Particularly suitable for copper, brass, light metal, precision steel and hydraulic pipes in hard-to-reach places
- Cutting wheel for stainless steel pipes No. 230411 can be used
- > Body in pressure-cast zinc



1100-278601 MANUAL BENDING TOOL SET 12 pieces

Code

4504560



Use:

- > Precision steel pipes EN 10305-3 (DIN 2394)
- > Hydraulic pipes EN 10305-1 (DIN 2391) with 1.0 - 2.0 mm wall thicknesses
- Composite pipes up to 16 mm
- Bendable stainless steel tubes with wall thicknesses from 1.0 - 1.5 mm
- > With 8 bending formers for pipes with Ø 6, 8, 10, 12, 14, 15, 16, 18 mm
- > In GEDORE L-BOXX® 136 No. 1100 L





Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
1611526	1100- 278601	1 basic frame 6-18 mm No. 278670 1 bending lever 6-18 mm attachable No. 278680 8 aluminium bending formers for pipes with Ø 6, 8, 10, 12, 14, 15, 16, 18 mm 1 pipe cutter 3-35 mm Ø No. 2180 3 1 pin punch 3 mm + GEDORE L-BOXX® 136 No. 1100 L	357	442	151	12	8,28

THE INDIVIDUAL COMPONENTS AT A GLANCE

TS-173 TOOL ASSORTMENT IN CT INSERTS 173 pieces



VERSATILE AND COMPACT







No.

TS-173

Code

3411451



1/2" Reversible ratchet No. 1993 U-20



RANGE OF TOOLS

SPANNER RANGE

 1/2" Extension No. 1990-3 - 5 - 10

 1/2" Socket No. D 19

 SW 10 12 13 15 16 17 18 19 22 24 27 30 32 mm

 1/2" Screwdriver bit socket hexagon No. IN 19

 SW 5 6 7 8 9 10 12 14 17 19 mm

 1/2" Extension with holding magnet No 1990 M

 Combination spanner No. 1 B

 Size 8 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm

 Bit socket box with ratchet 1/4" No. 666-U-20

 Cranked socket screwdriver set No. H 42-10, 10 pcs

 Torsion bit set No. 666-042, 42 pcs,

 G 3C screwdriver slot No. 2150, 4 5,5 6,5 8 mm

 G 3C screwdriver cross-slotted No. 2160 PH, PH 1 2

 Universal pliers No. 142 10 TL

Contents

Multiple pliers No. 8133-200 JC Side cutter No. 8314-180 JC Voltage tester No. 4615 3

Engineer's hammer No. 4 E-500 Twist drill set No, 8550-024, 24 pcs Cotter drive set No. 316 D, 6 pcs **Pieces** 173



GEDORE Werkzeugfabrik GmbH & Co. KG Remscheider Straße 149 42899 Remscheid · CERMANY Tel. + 49 (0) 21 91- 596 - 0 Fax + 49 (0) 21 91- 596 - 230 info@gedore.com www.gedore.com

Vertrieb Deutschland Tel. + 49 (0) 21 91- 596 - 900 Fax + 49 (0) 21 91- 596 - 999

GEDORE Automotive GmbH

Breslauer Straße 41 78166 Donaueschingen · GERMANY Tel. +49 771 83223-0 Fax +49 771 83223-90

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12 71665 Vaihingen/Enz · GERMANY T +49 7042 9441-0 F +49 7042 9441-41 info@loesomat.de

GEDORE AUSTRIA GmbH

Gedore-Str. 1 8190 Birkfeld / Stmk. · AUSTRIA Tel. +43 (0) 3174 / 363 64 00 Fax +43 (0) 3174 / 363 83 20 sales.austria@gedore.com www.gedore.at

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road, New Germany, 3610 - South Africa PO Box 68, New Germany, 3620 SOUTH AFRICA Tel. +27 (0) 31 / 705 3587 Fax +27 (0) 31 / 705 32770 general@gedoresa.co.za www.gedore.co.za

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Júndiz 01015 Vitoria Alava - SPAIN Tel. +34-945-29 22 62 Fax +34-945-29 21 99 gedore@gedore.es www.gedore.es

GEDORE UK Limited

Marton Street, SKIPTON BD23 1TF North Yorkshire · UNITED KINGDOM Tel. +44 (0) 1756 / 70 67 00 Fax +44 (0) 1756 / 79 80 83 sales@gedoreuk.com www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La Mare II 10, avenue du Fief - Bât. 12 BP 79144 Saint-Ouen-l'Aumône F-95074 Cergy Pontoise Cedex · FRANCE Tél. +33 (0)1 34 40 16 60 Fax +33 (0)1 34 40 16 61 jadore@gedore.fr www.gedore.fr

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV Alphen aan den Rijn · NETHERLANDS Tel. +31 (0) 172 / 42 73 50 Fax +31 (0) 172 / 42 73 60 info@gedore.nl www.gedore.nl

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar Gurgaon – 122051 Haryana · INDIA Tel. +91 (0) 124 22910 – 65/66/67 Fax +91 124 2341067 sales@gedore.india.com www.gedore.in

GEDORE POLSKA Sp. z o.o.

ul. Žwirki i Wigury 56a 43-190 Mikołów · POLAND Tel. +48 (0) 32 / 738-40 10 Fax +48 (0) 32 / 738-40 20 gedore@gedore.pl www.qedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vincentina Maria Fidélis, 275 Bairro Vincentina | Vicentina São Leopoldo - RS | 93025-340 · BRAZIL Tel. +55 51-35 89 9200 Fax + 55 51-35 89 9222 export@gedore.com.br www.gedore.com.br

GEDORE TOOLS, INC.

7187 Bryhawke Circle, Suite 700 NORTH CHARLESTON, SC 29418 · USA Tel. +1-843/225 50 15 Fax +1-843/225 50 20 info@gedoretools.com www.gedoretools.com

GEDORE Tool Trading (Shanghai) Co., Ltd.

1/F., Block 2, 1358 Pingan Road, Minhang, Shanghai · CHINA 201109 Tel. +86-21-3388 7258 Fax +86-21-3388 7259 Service Hotline: 400 880 1858 info@gedore.cn www.gedore.cn

GEDORE TOOL CENTER 000

4.-ya Magistralnaja H11/1 123007 Moscow - RUSSIA Tel. 8 800 100 58 96 (free from Russia) Tel. +7 (499) 754 7000 Fax +7 (8) 985 22 99 88 0 sales@gedoretools.ru

Your dealer:

Brands of the GEDORE Group gedore.com · ochsenkopf.com

MAGIC 2022 TOOL PROMOTION valid from 01/04/2022 until 31/12/2022. While stocks last.

Special net prices per pc./set, plus VAT. Delivery without decoration. cchnical specifications subject to modifications. No liability for printing errors. Prices exclude VAT / for resellers only. Please ask your local dealer.

gedore.com